

The Principal,
KENDRIYA VIDYALAYA NTPC JAMNIPALI KORBA CG
KENDRIYA VIDYALAYA NTPC KORBA, N T P C JAMNIPALI, KORBA
CHHATISGARH, KORBA, 495450
(M: 07759-232669)

Subject :- EXTENSION OF REGULAR AFFILIATION UP TO SENIOR SECONDARY LEVEL

Sir / Madam,
This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of Provisional Affiliation as per details given below :-

Affiliation No used as User ID for both OASIS and LOC/Registration System	3300005
School No	19042
Affiliated for	Extension of Regular Affiliation for Senior Secondary Level
Category	Extension of Affiliation
Period of affiliation	01.04.2026 to 31.03.2031
Application to be filled for further extension in the Year	2030

Sl. No.	The school is directed to ensure that :																
1	The total number of sections of the school from class I to XII shall be restricted to , out of which the school can run not more than sections in secondary classes i.e. in class IX and in class X and not more than sections in senior secondary classes i.e. in class XI and in class XII, subject to the condition that the school shall not run more than 1/4 and 1/3 of the total sections running in the school at any point in time at the secondary level and senior secondary level respectively. Any further increase of sections shall be subject to specific approval of the Board based on the request of the school as per Affiliation Bye Law, 2018 and availability of land and classrooms of size greater than 500 sq ft of dimension.																
2	The optimum number of students intake preferably shall be restricted as per the provisions of the Affiliation Bye Laws, 2018 as per the size of classrooms mentioned below: <table><thead><tr><th>Sl. No.</th><th>Dimension of Classrooms</th><th>Number of Classrooms</th><th>Maximum number of permissible students</th></tr></thead><tbody><tr><td>1</td><td>Greater than and equal to 500 sq ft.</td><td>36</td><td>40</td></tr><tr><td>2</td><td>Between 400-499 Sq ft.</td><td>10</td><td>35</td></tr><tr><td>3</td><td>Less than 400 Sq ft.</td><td>0</td><td>30</td></tr></tbody></table>	Sl. No.	Dimension of Classrooms	Number of Classrooms	Maximum number of permissible students	1	Greater than and equal to 500 sq ft.	36	40	2	Between 400-499 Sq ft.	10	35	3	Less than 400 Sq ft.	0	30
Sl. No.	Dimension of Classrooms	Number of Classrooms	Maximum number of permissible students														
1	Greater than and equal to 500 sq ft.	36	40														
2	Between 400-499 Sq ft.	10	35														
3	Less than 400 Sq ft.	0	30														
3	The approval is based upon the documents /data/information uploaded by the school online. The Manager and Principal of the school shall be held responsible for its genuineness. In case of any document found to be fake/forged/fabricated/tampered, the application of the school is liable to be rejected and the school shall be liable for imposition of any of the penalties and necessary action will be initiated against the school as deemed fit, under clause 10.1.16 of Affiliation Bye Laws, 2018.																
4	The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, Circulars, Guidelines, Instructions and other amendments issued from time to time by the Board.																
5	The School shall possess following Valid Mandatory Documents at all times : a. No Objection Certificate b. Recognition Certificate c. Land Certificate d. Fire Safety Certificate e. Building Safety Certificate f. Certificate of Registration of Society/Trust/Company g. Safe Drinking Water and Sanitary Condition Certificate																
6	The School shall also ensure the compliance with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal. <table><tbody><tr><td>1</td><td>Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.</td></tr><tr><td>2</td><td>Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CWSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.</td></tr><tr><td>3</td><td>Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr><tr><td>4</td><td>Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr><tr><td>5</td><td>Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr><tr><td>6</td><td>Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)</td></tr></tbody></table>	1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.	2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CWSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.	3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)				
1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.																
2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CWSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.																
3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.																
4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.																
5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.																
6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)																
7	The School is required to apply online for extension of affiliation in the preceding academic session before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.																
8	The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.																
9	The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.																
10	The school shall not remove the documents and videography links in the mandatory disclosure section of its website.																
11	The School is directed to run at least 01 section each of bal-valika I, II & III in accordance with established norms permitted vide Board's circular no. 12/2023 dated 24-03-2023 & 25/2023 dated 11-09-2023.																
12	The school shall conduct training of its teachers with concerned COE.																
13	The school is directed to ensure that all essential valid documents are available under the head Mandatory Public Disclosure (as per annexure- IX) on school's website at all time and the link of certificates should be remain functional.																
14	As per the recommendation of NEP, the school shall ensure the participation of its students in the Structured Assessment for Analyzing Learning(SAFAL), an exam conducted by the Board every year. This exam, designed to assess and enhance students' learning, is a valuable initiative for their holistic development, as per the guidelines issued by the Board vide circular no: Acad-49/2024 dated 26 June 2024.																
15	The school will ensure the Holistic Progress Card (HPC) is used for the foundational stage according to the guidelines issued by the Board via notification no. CBSE/Director (Acad.-Assessment)/2023 dated 27.12.2023.																
16	The school shall submit an undertaking to upload all requisite information regarding students, teachers, and infrastructure details available in the school on the UDISE and OASIS Portals. The registration of the students in classes IX/XI shall be conditional on the school providing complete information on the UDISE and OASIS																
17	The school shall ensure that all teachers undergo at least 50 hours of Continuous Professional Development (CPD) every year, vide notification no. 16/2021 dated 24.09.2021, out of which 25 hours should be from concerned COE.																
18	The school may make provision to establish rain water harvesting system in their school premises as per Board's circular no. CBSE/AFF/AC/RWH/2025 dated 24.03.2025.																
Further, the school shall submit compliance on the following mentioned conditions within 03 months on the SARAS Portal from the date of the grant letter i.e. upto 27/09/2025. Failure to submit compliance within the stipulated time shall invite financial penalty of Rs. 50,000/- and appropriate action may be initiated as deemed fit.																	
In case of partial acceptance of compliance, the school shall submit the remaining compliance's within further stipulated period of 03 months. In case of the failure of the school to submit the final compliance's, the Board may enhance the penalty amount and debar the school from filling up the Registration/LOC details of students of classes IX & X, as the case may be, in the next academic session i.e. 2027-28.																	

**OFFICE OF THE SUB DIVISIONAL, OFFICER
P.W.D. SUB DIVISION NO. 1 KATGHORA
DISTT. KORBA (CG)**

Memo No. 432 /SDC/

Katghora/8.8.2025

BUILDING SAFETY CERTIFICATE

Certified that the existing building Kendriya Vidyalaya No. 2 at NTPC Jamnipali Korba, Distt. Korba (CG) comprised of Ground floor & first floor owned/occupied by Kendriya Vidyalaya No. 2 Korba have complied with the Building safety requirements in accordance with National Building Code Rules and verified by the officers concerned of SDO PWD Katghora No. 1 on 08.08.2025 in the presence of Mr. S. K. Sahu, Principal Kendriya Vidyalaya No. 2 NTPC Korba and that the building/premises is fit for occupancy up to classes XII with effect from 08.08.2025 for a period of One year in accordance with rules and subject to compliance of the specific conditions as appended:

1. Structure to fire proof
2. Roof condition is good
3. Sitting arrangement is good
4. Stairs are strong.

Issued on 08/08/2025 at time 12.30 pm Katghora by

Signature with seal :


Sub Divisional Officer
P.W.D. Sub Division No.- 1
Katghora (C.G.)

Name : Mr. S.C. Pandey

Designation: Sub Divisional Officer

Name & Address of Deptt./Office: SDO, PWD Katghora No. 1 Korba


कमाण्डेन्ट का कार्यालय
केन्द्रीय औद्योगिक सुरक्षा बल
(गृह मंत्रालय)

इकाई केएसटीपीपी कोरबा
जिला - कोरबा (छ0ग)
दिनांक: 11/04/2025

पत्रांक-ई-18015/केओसुब/केएसटीपीपी/अग्नि/25- 608


TO WHOM IT MAY CONCERN

It is certified that the **KV-02 & KV-04 SCHOOL** located at the NTPC Township Jamnipali, Distt.- Korba (Chattisgarh), has been inspected for fire safety arrangements on 08.04.2025. The school has proper Fire Safety arrangements like-adequate number of Fire Extinguishers placed at all vital locations to deal with any fire incident in the school premises. All First-Aid firefighting equipments are in operational condition. Teachers & staff are trained in firefighting & evacuation procedure. Fire Tender with the CISF fire crew is available round the clock at the NTPC KSTPP Project, Main Fire Station and may respond to deal with any fire/other emergency at the School without any delay.


Assistant Commandant/Fire
CISF UNIT KSTPP KORBA (C.G.)

सहायक कमाण्डेन्ट/अ.
ASSTT. COMMANDANT/FIRE
के ओ सी यू व इकाई के एस टी पी पी कोरबा (छ.ग.)
CISF UNIT KSTPP, KORBA (C.G.)

Counter Signature


Dy. Commandant
For Commandant
CISF UNIT KSTPP KORBA



ESTD. 1975

DELHI TEST HOUSE[®]

(A Unit of Delhi Test House Global LLP)

A-62/3, G.T. Karnal Road, Industrial Area, Near Metro Pillar No. 600, Azadpur, Delhi-110 033 (INDIA)
 Ph. : +91-11-47075555 (30Lines) E-mail : info@delhitesthouse.com
 Website : www.delhitesthouse.com

Issued to:

M/s Vijay Kumar Baghel Dgm (Chemistry)
 Vikas Bhawan, NTPC Korba Post-Jamnipali,
 Distt-Korba Chhattigarh-495450



QR-0302

Report No. : 29267241125GEN1143
 Date of Issue : 11.12.2024
 Date of Receipt : 25.11.2024
 Party Ref No. : Nil,
 Letter Date : 18.11.2024

Sample Description: - Described as Township Drinking Water was received
 Mark:- Sample No- 1

TEST REPORT

S. No.	Test	Requirements Acceptable limit IS: 10500/2012, Amd No.- 1,2,3 & 4	Results	Permissible Limit/IS:10500/2012, in the absence of Alternate Source Amd No.- 1,2,3 & 4	Test Method
I. Chemical Testing (Water)					
Table-1 Organoleptic and Physical parameter (clause 4)					
1.	Colour, Hazen unit, Max.	5	< 2	15	IS:3025(P-4)
2.	Odour	Agreeable	Agreeable	Agreeable	IS:3025(P-5)
3.	Taste	Agreeable	Agreeable	Agreeable	IS:3025(P-7 & 8)
4.	Turbidity NTU, Max	1	<1	5	IS:3025(P-10)
5.	pH value	6.5 to 8.5	7.16	No Relaxation	IS:3025(P-11)
6.	Total Dissolved Solids, mg/l, Max.	500	98.0	2000	IS:3025 (P-16)
Table-2 General Parameters Concerning Substances undesirable in excessive amounts (Clause 4)					
1.	Total Hardness (as CaCO ₃) mg/l, Max.	200	45.6	600	IS:3025(P-21)
2.	Iron (as Fe) mg/l, Max.	1.0	BLQ (0.001)	No Relaxation	IS:3025(P-65)
3.	Chloride (as Cl) mg/l, Max.	250	6.0	1000	IS:3025(P-32)
4.	*Residual free chlorine mg/l, Min.	0.2	BLQ(0.1)	1.0	IS:3025(P-26)
5.	Fluoride (as F) mg/l, Max.	1.0	< 0.2	1.5	APHA.4500F ⁺ 24 th Edition
6.	Calcium (as Ca) mg/l, Max.	75	14.0	200	IS:3025(P-40)
7.	Magnesium (as Mg) mg/l, Max.	30	2.4	100	IS:3025(P-46)
8.	Copper (as Cu) mg/l, Max.	0.05	BLQ(0.001)	1.5	IS:3025(P-65)
9.	Manganese (as Mn) mg/l, Max.	0.1	BLQ(0.001)	0.3	IS:3025(P-65)
10.	Sulphate (as SO ₄) mg/l, Max.	200	3.1	400	IS:3025(P-24/Sec-1)
11.	Nitrate (as NO ₃), mg/l, Max.	45	BLQ(0.5)	No Relaxation	IS:3025(P-34/sec-)
12.	Ammonia (as Total ammonia-N), mg/l Max.	0.5	BLQ(0.5)	No Relaxation	IS:3025(P-34/sec-1)
13.	Phenolic Compounds (as C ₆ H ₅ OH), mg/l, Max.	0.001	BLQ(0.001)	0.002	IS:3025(P-43/Sec-1)
14.	Zinc (as Zn), mg/l, Max.	5	BLQ(0.001)	15	IS:3025(P-65)
15.	Aluminium (as Al), mg/l Max.	0.03	BLQ(0.001)	0.2	IS:3025(P-65)
16.	Anionic detergents (as MBAS), mg/l Max.	0.2	BLQ(0.05)	1.0	IS:3025(P-68)

ULR TC1446124000005803F

Page 1 of 3

M.C. GOEL
 Authorised Signatory - Director

Director

N.A.B.L. / ISO-9001 ACCREDITED LABORATORY

BRANCH OFFICES ALL ACROSS INDIA

Issued to:

M/s Vijay Kumar Baghel Dgm (Chemistry)
Vikas Bhawan, NTPC Korba Post-Jamnipali,



TC-14461

QR-0302

Report No. : 29267241125GEN1143

Date of Issue : 11.12.2024

Sample Description: - Described as Township Drinking Water was received

Mark:- Sample No- 1

TEST REPORT

S. No.	Test	Requirements Acceptable limit IS: 10500/2012, Amd No.- 1,2,3 & 4	Results	Permissible Limit/IS:10500/201 2, In the absence of Alternate Source Amd No.- 1,2,3 & 4	Test Method
17.	Barium (as Ba), mg/l, Max.	0.7	BLQ(0.001)	No Relaxation	IS:3025(P-65)
18.	Boron (as B), mg/l Max.	0.5	BLQ(0.2)	2.4	IS:3025(P-57)
19.	Chloramines (as Cl ₂), mg/l, Max.	4.0	BLQ(0.1)	No Relaxation	IS:3025(P-26)
20.	Mineral Oil, mg/l, Max.	1.0	BLQ(0.2)	No Relaxation	IS:3025(P-39)
21.	Selenium (as Se), mg/l Max.	0.01	BLQ(0.001)	No Relaxation	IS:3025(P-65)
22.	Silver (As Ag), mg/l, Max.	0.1	BLQ(0.001)	No Relaxation	IS:3025(P-65)
23.	Sulphide (as H ₂ S), mg/l, Max.	0.05	BLQ(0.005)	No Relaxation	IS:3025(P-29)
24.	Total Alkalinity (as CaCO ₃), mg/l, Max.	200	25.9	600	IS:3025(P-23)

Table-3 Parameters Concerning Toxic Substances (Clause 4)

1.	Cadmium (as cd), mg/l Max.	0.003	BLQ(0.001)	No Relaxation	IS:3025(P-65)
2.	Cyanide (as CN), mg/l Max.	0.05	BLQ(0.01)	No Relaxation	IS:3025(P-27/sec-1)
3.	Lead (as Pb), mg/l, Max.	0.01	BLQ(0.001)	No Relaxation	IS:3025(P-65)
4.	Mercury (as Hg), mg/l Max.	0.001	BLQ(0.001)	No Relaxation	IS:3025(P-65)
5.	Uranium (as U), mg/l, Max	0.03	BLQ(0.001)	No Relaxation	IS:3025(P-65)
6.	Molybdenum (as Mo), mg/l Max.	0.07	BLQ(0.001)	No Relaxation	IS:3025(P-65)
7.	Nickel (as Ni), mg/l Max.	0.02	BLQ(0.001)	No Relaxation	IS:3025(P-65)
8.	Total Arsenic (as As), mg/l Max.	0.01	BLQ(0.001)	No Relaxation	IS:3025(P-65)
9.	Total Chromium (as Cr), mg/l Max.	0.05	BLQ(0.001)	No Relaxation	IS:3025(P-65)
10.	Poly chlorinated biphenyls, mg/l Max.	0.0005	BLQ(0.00005)	No Relaxation	DTH/SOP/CHEM/INST/65
11.	Poly nuclear aromatic hydrocarbons (as PAH), mg/l,Max.	0.0001	BLQ(0.00005)	No Relaxation	DTH/SOP/CHEM/INST/65
12.	Trihalomethanes: a) Bromoform, mg/l Max. b) Dibromochloromethane mg/l Max c) Bromochloromethane mg/l Max. d) Chloroform, mg/l, Max.	0.1 0.1 0.06 0.2	BLQ(0.0005) BLQ(0.0005) BLQ(0.0005) BLQ(0.0005)	No Relaxation No Relaxation No Relaxation No Relaxation	DTH/SOP/Chem/Inst/57

ULR TC1446124000005803F

Page 2of 3

M.C. GOEL

Authorised Signatory - Director
Director

Issued to:

M/s Vijay Kumar Baghel Dgm (Chemistry)
Vikas Bhawan, NTPC Korba Post-Jamnipali,



QR-0302

Report No. : 29267241125GEN1143

Date of Issue : 11.12.2024

Sample Description: - Described as Township Drinking Water was received

Mark:- Sample No- 1

TEST REPORT

TEST REPORT					
S. No.	Test	Requirements Acceptable limit IS: 10500/2012, Amd No.- 1,2,3 &4	Results	Permissible Limit/IS:10500/2012, In the absence of Alternate Source Amd No.- 1,2,3 & 4	Test Method
III	Biological Testing (Water)				
Table-6 Bacteriological Test as per Clause 4.1.1					
S. No.	Test	Requirements Acceptable limit IS: 10500/2012, Amd No.- 1,2,3 &4	Results	Test Method	
1.	Coliform Organisms/100ml	Shall be not detected	Not Detected	IS:15185	
2.	E.Coli/100 ml	Shall be not detected	Not Detected	IS:15185	

Remarks: - The Sample Conforms to the IS: 10500:2012 with respect to above test only

Note: 1 BLQ- Below Limit of Quantification

2. Figure in Bracket Indicate Minimum Limit of Quantification.

3. *Applicable only when water is chlorinated.

Note: 4. No Deviation from the Standard Test Method/Specification is done unless specified or requested by the client.

5. While giving the conformity statement laboratory does not consider Uncertainty Measurement into account.

6. General terms & conditions are given on the back side of the report.

Date of start of testing : 25.11.2024

Date of completion of testing : 02.12.2024

ULR TC144612400005803F For report verification email to report_verify@delhitesthouse.com

Page 3 of 3


Reviewed By

END OF REPORT

M.C. GOEL

Authorised Signatory - Director
Director