

CBSE - Mandatory Public Disclosure (Appendix IX)

A: GENERAL INFORMATION

S.No.	Information	Details
1	Name of the School	PM SHRI KV Chenani at Kud
2	Affiliation No. (If applicable)	700030
3	School Code (If applicable)	24945
4	Complete Address with PIN Code	Chenani at Kud, Distt – Udampur, J&K - 182142
5	Principal Name & Qualification	Mrs. Rajni Oberoi M.Com, B.Ed, UGC NET
6	School Email ID	kvchenani@gmail.com
7	Contact Details (Landline/Mobile)	6005145298

B: DOCUMENTS AND INFORMATION

S.No.	Documents/Information	Upload Documents
1	Copies of Affiliation/Upgradation Letter and Recent Extension of Affiliation, if any	https://chenani.kvs.ac.in
2	Copies of Societies/Trust/Company Registration/Renewal Certificate	https://chenani.kvs.ac.in
3	Copy of NOC issued by State Govt./UT	https://chenani.kvs.ac.in
4	Copies of Recognition Certificate under RTE Act,	https://chenani.kvs.ac.in

	2009 and renewal	
5	Copy of Valid Building Safety Certificate	https://chenani.kvs.ac.in
6	Copy of Valid Fire Safety Certificate	https://chenani.kvs.ac.in
7	Copy of DEO Certificate / Self Certification	https://chenani.kvs.ac.in
8	Drinking Water, Health and Sanitation Certificates	https://chenani.kvs.ac.in

C: RESULT AND ACADEMICS

S.No.	Documents/Information	Upload Documents
1	Fee Structure	https://chenani.kvs.ac.in
2	Annual Academic Calendar	https://chenani.kvs.ac.in
3	List of SMC	https://chenani.kvs.ac.in
4	List of PTA Members	https://chenani.kvs.ac.in
5	Last Three-Year Board Result	https://chenani.kvs.ac.in

RESULT CLASS X

S.No.	Year	Registered Students	Passed	Pass %	Remarks
1	2023-24	73	72	98.63	
	2024-25	63	63	100	
	2025-26	72	72	100	

RESULT CLASS XII

S.No.	Year	Registered Students	Passed	Pass %	Remarks
	2023-24	36	36	100	
	2024-25	37	37	100	

	2025-26	Result awaited	Result awaited		
--	---------	-------------------	-------------------	--	--

D: STAFF (TEACHING)

S.No.	Information	Number/Strength	Name & Qualification
1	Principal	1	Mrs. Rajni Oberoi M.Com, B.Ed, UGC NET
2	Vice Principal	0	N/A
3	Headmaster/Headmistress	1	M.Sc , B.Ed, D.Ed
4	Total No. of Teachers (PGT/TGT/PRT)	38 (11/12/15)	N/A
5	Teacher Section Ratio	1.52:1	N/A
6	Special Educator	1	B.A, B.Ed Spl Edn
7	Counsellor & Wellness Teacher	0	N/A

E: SCHOOL INFRASTRUCTURE

S.No.	Information	Details
1	Total Campus Area (in sqr mtr)	66267
2	No. and Size of Classrooms	25 (68 sqr mtr)
3	Laboratories including Computer Labs	6
4	Library Size	136 sqr mtr
5	Internet Facility (Yes/No)	Yes
6	No. of Girls	17

	Toilets	
7	No. of Boys Toilets	17
8	No. of CWSN Toilets	2
9	YouTube Link of Inspection Video	https://youtube.com/shorts/fctlkoawNRE?feature=share

UNDERTAKING

To

The Commissioner,
Kendriya Vidyalaya Sangathan,
18-Institutional Area,
Shaheed Jeet Singh Marg,
New Delhi-110016


Subject:- Transfer Of Land For Kendriya Vidyalaya Chenani at Village Khatryar
Jagir Tehsil Chenani (State Land)


Sir,


With reference to above, it is to inform you that land measuring _ 131 Kanal had been allotted to Kendriya Vidyalaya Sangathan for establishing Kendriya Vidyalaya Chenani at Village Khatryar Jagir Tehsil Chenani vide this Office order No. Cabinet Decision No.126/6 dated 17.07.2004 / J&K Govt. Order N0. REV (LAK) 166 of 2004 Dated 27.07.2004 / Dupty Commissioner Udhampur Letter N0. 776/ S.Q. Dated 17.08.2004 free of cost. Change of title in the name of Kendriya Vidyalaya Sangathan has already been done in revenue record. Hence, no lease deed is required to be executed in this regard.

As such Kendriya Vidyalaya Sangathan is free to start construction work as per its requirement.

This is for your information, record and reference.



TEHSILDAR
CHENANI (J&K)
21/9/17


Signature of Competent Authority
(Land Allottee Authority)


Note:- The Above Draft 'Undertaking' has been duly vetted/approved by Legal Advisor, KVS(Hqrs.) on File No.7-14/96-KVS/Land/WK-II(N.Page-9).

TO WHOM IT MAY CONCERN
STRUCTURAL STABILITY CERTIFICATE

It is certified that the maintenance of the school building is being carried out by PM Shri Kendriya Vidyalaya Chenani themselves since it was handed over. The undersigned along with J.E has inspected the site on 04.08.2025. Visually, the buildings are appearing structurally stable as of now, however, there are signs of deterioration like seepage/dampness along with growth of plants, Settlement of Ground floor, cracks at some places etc. in school building which requires immediate attention and necessary repair as it is badly affecting the structural health of the building. It is very much recommended that the building should be maintained as per the CPWD norms and due care must be taken with regard to this.


सहायक अभियन्ता (सि)
उप-मण्डल-IV
के.लो.नि.वि., उधमपुर

The Principal
Mendriya Vidyalaya
Chenani, Udhampur

No: DFES-FP/9/2022-04(CC-7079422) 996


Dated: 09.05.2025

Sub: Fire Safety Certificate.

Ref: Your online application submission dated: 15.04.2025 (FI026-1878490).

The spot inspection of above said school was got carried out by the inspecting officer of this department. During inspection, it was found that the management has installed Hose Reel Hoses and First Aid Fire Extinguisher in their school premises. Besides this, one underground water storage tank of 70 KL capacity is also available. Moreover, the school is about 03 Km away from Fire and Emergency Station Chenani and is approachable for fire appliance in case of any emergency. Since the school is already functioning, as such, the management can proceed ahead for operation subject to adopt the following fire safety measures/ guidelines in letter and spirit forthwith:-

1. 01 No. of CO₂ Type fire extinguisher of 4.5 Kg capacity should be provided near main electric switch board panel in addition to already existing fire extinguishers.
2. All exit/entrances should be kept open and free from any obstruction for quick and safe evacuation of inmate during any emergency.
3. First Aid Firefighting system installed in the school building should be checked periodically. Staff and management should be fully trained in handling / operating of firefighting system installed in the school building.
4. All electric installations existing in the building should be concealed conduit type.
5. All class rooms and examination halls having seating capacity for more than 45 students need to be provided with two exits.
6. The corridor of the building shall not be used for any kind of storage.
7. No Hazardous material should be kept inside of the school premises (especially LPG cylinder, Petrol and Diesel etc.). Any deviation found in this regard, this clearance will be treated automatically withdrawn/ cancelled.
8. The management shall be wholly and solely responsible for keeping the firefighting system in working condition 24x7 and safe evacuation of its students during any mishap.
9. At present school is having three blocks, one is four and another two are single storey. As such no addition / alteration should be made by the school management in the existing structure without prior information from this department. Any deviation found in this regard, this clearance will be treated automatically withdrawn/cancelled.
10. The department can make a surprise visit to your school at any time. During the visit, if the firefighting system (i.e. existing as well as proposed) found defunct and deviation, this clearance issued shall be treated automatically withdrawn/cancelled.
11. This clearance shall be subject to outcome of any dispute/investigation/enquiry/trial if any, pending before any Court of Law/investigation agency. This clearance shall not confirm any title upon the person/company in whose favour it is issued. Further, the status with regard to land shall be the responsibility of the concerned registering authority.
12. The instant clearance is strictly for adoption of fire safety measures/guidelines of the occupancy only and not for authentication of any other claim.
13. The validity of this clearance shall remain in force for one year and same needs to be renew after inspection/checking of entire firefighting system (i.e. existing as well as proposed) installed in the school building. However, before granting permission/ recognition/extension or renewal thereof, the authority concerned shall satisfy himself in terms of conditions laid down in SRO-123 of 2010 and SRO-292 of 2018, issued by Education Department with regard to physical facilities and also ensure the fire safety measures/ guidelines given to the proprietor by this department are fully complied with.


Director
Fire & Emergency Services, J&K
Jammu/Srinagar

पाराशष्ट 1

Appendix-1A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION
ACT XXI OF 1960 (PUNJAB AMENDMENT) ACT 1957
AS EXTENDED TO THE UNION TERRITORY OF
D E L H I.

No. 52224 of 1965-1966.

I hereby certify that *CENTRAL SCHOOLS

ORGANIZATION*

has this day been registered under the Societies Registration
Act III of 1860 (Punjab Amendment) Act 1957, as extended to
the Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of NOVEMBER

One thousand nine hundred and SIXTY FIVE

Fee Rs. 50.00 paid.

DHINGORA



(SURENDRA KISHORE)
REGISTRAR OF SOCIETIES
D E L H I.

No. S/2964/167.

Dated 11-12-1965

From

The Registrar of Societies,
Old Secretariat,
Delhi.

To

Shri S. N. Dutt, Under Secy.,
Central School Works,
Room No. 16, B-Block,
Ministry of Education, U.D.I.

Re: *CENTRAL SCHOOLS ORGANIZATION*

Dear Sir,

I am enclosing herewith the certificate of registration
of your society named above. Please acknowledge receipt.

Acknowledged.

12/12

Encl: One Certificate.

DHINGORA

Yours faithfully,

(SURENDRA KISHORE)
REGISTRAR OF SOCIETIES
D E L H I.

Dheer


प्राचार्य

केन्द्रीय विद्यालय चन्नी

ऊधमपुर (ज० व क०)

DETAILS OF PTA MEMBERS

S.No.	NAME	POST/MEMBER	NAME OF CHILD	SIGNATURE
1	MRS. DEEPIKA	INCHARGE	RANVIJAY, DIGVIJAY Singh Singh Dabas Dabas	Deepika
2	MRS. BARKHA	MEMBER	HANUDARSH	Barkha
3	MR. ANAND KUMAR	MEMBER	HANSIKA, KUSHAL	Anand
4	MRS. DEEPIKA SHARMA	MEMBER	GURASHISH SHARMA	Deepika
5	MR. PARTAP	MEMBER	ANSH	Partap


प्राचार्य
केन्द्रीय विद्यालय चनैनी
जिला ऊधमपुर
(जम्मू व काश्मीर) 182141

S.D. Water Testing Laboratory, Chenani

Near B.D.O office, Chenani. Pin-182141 (Test Address only)

[Download](#) [Print](#)

Test report

Sample
id:

U2362221530756553

User Information

Name:	Naresh Kumar	Mobile:	9086166261
Email:	watertestinglabchenani@gmail.com	Pin Code:	0
Full Address:	Village- Not available , Gram Panchayat- Not available, Block- Not available, District- Not available, State- Jammu & Kashmir		

Sample description

Source of Sample:	School Name : KV CHENANI [schemeId : 1826243, scheme name : wss berauni area chenani]	Village:	Bashat
Gram Panchayat:	Bashat	Block:	Chenani
District:	Udhampur	State:	Jammu & Kashmir
Address:		Remarks:	PM SHRI KENDRIYA VIDYALAYA CHENANI
Latitude:	33.0535716	Longitude:	75.295165

Date & time of sample collection

17.07.2025 | 10:45:00 AM

Date & time of sample received in lab

17.07.2025 | 11:15:00 AM

Date & time of sample analysed

17.07.2025 | 11:33:00 AM

Date & time of report generation

19.07.2025 | 11:34:42 AM

Test results

S. No.	Parameters tested	Unit of measurement	Requirement (acceptable limit) as per BIS 10500	Permissible limit (in absence of alternate source) as per BIS 10500	Test result value	Method of Analysis	Remarks
1	Calcium (as Ca)	mg/l	75	200	75.000	FTK	Safe
2	Chloride (as Cl)	mg/l	250	1000	20.000	FTK	Safe
3	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000	H2S vial test	Safe
4	Fluoride (as F)	mg/l	1	1.5	0.000	FTK	Safe
5	Free residual Chlorine	mg/l	0.2	1	0.000	FTK	Safe
6	Iron (As Fe)	mg/l	1	No Relaxation	0.000	FTK	Safe
7	Nitrate (as NO ₃)	mg/l	45	No Relaxation	0.000	FTK	Safe
8	pH	NA	6.5-8.5	No Relaxation	7.500	Instrumental method	Safe
9	Sulphate (as SO ₄)	mg/l	200	400	10.000	FTK	Safe
10	TDS	mg/l	500	2000	294.000	Instrumental method	Safe
11	Total Hardness (As CaCO ₃)	mg/l	200	600	135.000	FTK	Safe
12	Turbidity	NTU	1	5	1.280	Nephelometric method	Safe

Note:

- 1)*Indicates parameters that are NABL accredited.
- 2)This test results related to the sample tested above
- 3)The report shall not to be reproduced in full without approval of authority
- 4)This is the end of the report

Data prepared by

Chemist: (Amit Bandral)

Microbiologist: (Amit Bandral)

Authorised signatory

Rahul Verma (Test Lab Incharge)

*****This is an electronically generated report and does not require a signature.*****

Jal Jeevan Mission aims at potable tap water supply to every home

Let's join hands to ensure drinking water is potable. It helps in preventing water borne diseases and improve public health.

Designed & Developed by NIC. Copyright ©copy NJJM 2025