

பொது களத்தாரம் மற்றும் நோய்தடுப்பு மருந்துதுறை, சிவகங்கை மாவட்டம்

அனுப்பும்:

பெறும்:

மரு.மா. விஜயலக்ஷ்மி, எம்.பி.பி.எஸ்., டி.பி.எஸ்., டி.ஐ.எஸ்.
தலை நியந்தனார் களத்தார பள்ளிக்
சிவகங்கை

முதல்வர்
செந்திரிய வித்யாலயா
R.T.C., ITBP இலுப்பத்தடி,
சிவகங்கை வட்டாரம் 3 மாவட்டம்

த.ம.எண்: 4120/2023

நாள்: 30.06.2023

அயல்:

- பொருள்: பொது களத்தாரம் மற்றும் நோய்தடுப்பு மருந்துதுறை - களத்தார சான்றிதழ்
நிபந்தனைகளுக்கட்பட்டு ஒப்புதல் வழங்குதல் - தொடர்பாக
- மரணம்: 1. நலகவது விண்ணப்பம் நாள்: 19.06.2023
2. இவ்வழுவலக ஆதம் ந.க.எண் 4600 நாள்: 20.06.2023
3. கீழ்க்கண்ட அ.ஆ.க. நினைவு, வட்டார களத்தார செறுபார்வைபாளர்மின்
ஆய்வு நாள்: 23.06.2023

பார்வை 3-ல் கண்டுள்ள ஆதம் மூலம் ஆய்வு செய்யப்பட்டு, பெறப்பட்ட செந்திரிய வித்யாலயா R.T.C., ITBP இலுப்பத்தடி சிவகங்கை வட்டாரம் 3 மாவட்டம் - 620062 என்ற முகவரியில் இயங்கிவரும் பள்ளிக்கு, களத்தார சான்றிதழ் கீழ்க்கண்ட நிபந்தனைகளின்படி, ஒப்புதல் அளிக்கப்பட்டு செலவாகும் செய்து அனுப்புகிறேன்.

வணக்கத்தில் கொடுக்க பொருள் இடங்களை கண்டறிந்து அநீதக வாரம்நாளும் துப்புரவு புகளம் நடத்த வேண்டும். இதற்கென ஒரு பொறுப்பு ஆசிரியர் (Nodal Officer) அமர்த்த வேண்டும்.

1. வருவாரத்தில் உள்ள மாணவ மாணவிகளின் சூதகக வாதிகள் கல்விதுறையின் விதிகளுக்கட்பட்டு இருக்க வேண்டும்.
2. கட்டிடம் வளரகத்தில் உள்ளக இருத்தல் வேண்டும்.
3. வளரகத்தில் கற்று கவர் உறுதியாக இருத்தல் வேண்டும்.
4. வளரகத்தின் குறுக்கே மின்வாரிய மின் தழுத்த கம்பி கம்பெ செல்கக்கூடாது.
5. வளரகத்தில் மிளகையட்டு சமதாளம் மற்றும் முதலுதவி செ.டி.டி அவசியம் இருத்தல் வேண்டும்.
6. வளரகத்தில் மரிதில் தயாரிக்ககடிய களரகக் உபயோகிக்க கூடாது மற்றும் தயாளகடி சாதாளகக் செருத்தகடி வேண்டும்.
7. வளரகத்தில் மதுகக்ககட்டி குடிநீர் வசதியுடன் மெல் நிலயதொட்டிகள் தாளக்ககடி வேண்டும்.
8. வளரகத்தில் மாணவ/மாணவியர் விடுதி இருப்பின், பொதுகளத்தார சட்டம் 1930 ன்கடி, கத்தாளகடியம் கவதாரமாக்கடியம் பராமர்க வேண்டும் மற்றும் அகந்த தாளகக களத்தார சான்று பெறக்கடி வேண்டும்.
9. கீகரெட் மற்றும் புளகயிலை தடுப்பு சட்டம் 2003 - ன்கடி, வளரகத்தில் புளகயிலை பெருக்களை வயதம் பயன்படுத்த கட்டாயம் அலுமறிக்ககடிது. செற்று * புளகயிலை பயன்படுத்த தளட செய்யப்பட்ட புகுதி' என்ற அறிவிப்பு பயககைய மாரகயயில் படும்கடி, கவககடி வேண்டும்.

செற்கண்ட நிபந்தனைகல் தவறும்கடி சததில், இந்த சான்றிதழ் ரத்து செய்யகடிதும் என்று தெரிவித்துக்கொள்ளுகிறேன்.


 தலை நியந்தனார் களத்தார பள்ளிக்
 சிவகங்கை

நகல்:

1. வட்டார களத்தார செறுபார்வைபாளர், வட்டார ஆராய் களத்தார நினைவு, கீழ்க்கண்ட
2. நெறியில் நுட்ப நெறிக உதவியாளர், இவ்வழுவலகம்

APPENDIX - XIII

Safe Drinking water and sanitary condition certificate

It is certified that an inspection by Block Health Supervisor, Govt. Primary Health Centre, Keelapoonkudi, Public Health and preventive Medicine department Sivagangai district on **22.06.2023** and found that the school **Kendriya Vidyalaya, R.T.C., ITBP, Ilupakudi**, Sivagangai Block & District, Tamilnadu. Pin Code 630562 has safe drinking water facilities for the students and members of staff of the institution and maintaining the hygienic sanitation condition in the school buildings and the campus as per norms prescribed by the central/State government.

Conditions:

Any violation of the Public Health Act and rules or insanitary conditions are found later if any, the issue of the certificate is liable to be cancelled.

The above is valid for a period of one year from the date of issue.


சென்ட்ரல் வித்யாலயம், ரீ.டி.சி.,
இலுபாகுடி, சிவகங்கை மாவட்டம்,
தமிழ்நாடு.


Block Health Supervisor
Govt. Primary Health Centre
Keelapoonkudi - 630 562
Sivagangai Block & District

K.Dis.No: 4600/A5/2023

Dated: 20.06.2023

Office of the Deputy Director of Health Services, Sivagangai

/Counter Signed /


Deputy Director of Health Services
Sivagangai

To:

Principal
Kendriya Vidyalaya, R.T.C., ITBP,
Ilupakudi - 630562
Sivagangai Block & District,
Tamilnadu,



TEST REPORT

Doc No: DWTL/FORM/18/01

Report No:	TR/2023/ 27610-1	Report Issue Date :	26.06.2023	Page No : 01 of 01
Invoice Details:	999/Dt.20.06.2023 Amt.Rs.1652/-	ULR No.	TC105142300000029F	

Client Name & Address Contact No / Email ID	: The Principal, Kendravideyalaya, RTC, ITBP Huppaikudi, Sivagangai District
Sample Name	: Water
Sample Number	: 27610-1
Sample Description	: R.O. Water
Sample Submitted by	: D.S.Chandrasekaran
Location & Date	: Inside the ITBP Campus & 10.06.2023
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Can
Sample Condition on Receipt	: Good
Sample Received On	: 20.06.2023
Test Commenced on	: 20.06.2023
Test Completed on	: 26.06.2023
Environmental Condition	: 25.0°C - 28.0°C

S.No	Parameters	Unit	Test Method	Result	Specification as per IS 10500:2012(RA-2019)	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	pH @ 25°C	-	IS 3025 Part 11-1983	7.32	6.5-8.5	6.5-8.5
2	Total Hardness as CaCO ₃	mg/l	IS 3025 Part 31-2009	48	200	600
3	Total Alkalinity as CaCO ₃	mg/l	IS 3025-Part 23-1986	12	200	600
4	Chloride as Cl	mg/l	IS 3025-Part 32-1989	20	250	1000
5	Sulphate as SO ₄	mg/l	IS 3025-Part 24-1988	2	200	400
6	Nitrate as NO ₃	mg/l	APHA 23rd Edition 2017 - 4500-NO ₃ B	0	45	45
7	Fluoride as F	mg/l	APHA 23rd Edition 2017 - 4500-F-D	0.22	1.0	1.5

Remark: The tested sample conformed to IS- 10500:2012 (RA- 2019) Drinking water specification with respect to above tested parameters. The Decision rule is not applicable.

— End of the report —

(Signature)
Authorized Signatory
E.Iyyappa Babu
Assistant Executive Engineer.

- Note:
- The test results relate only to the items tested.
 - The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
 - Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
 - The result applied to the sample as received basis.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

DISTRICT WATER TESTING LABORATORY

Municipal Building, Weekly Market Street

Sivagangai - 620 561

Phone: 04575 - 243178

E-mail: wtlsvg@gmail.com

TEST REPORT

Doc No: DWTL/FORM(7,80)

Report No:	TR/2023/27610-2	Report Issue Date:	26.06.2023	Page No:01 of 02
Invoice Details:	999/Dt.20.06.2023/Amr.Rs.1180/-			

Client Name & Address : The Principal,
Kendravidyalaya, RTC, ITBP
Itappaikudi,
Sivagangai District

Contact No / Email ID :

Sample Name	: Water
Sample Number	: 27610-2
Sample Description	: R.O. Water
Sample Submitted by	: D.S.Chandrasekaran
Location & Date	: Inside the ITBP Campus & 10.06.2023
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Can
Sample Condition on Receipt	: Good
Sample Received On	: 20.06.2023
Test Commenced on	: 20.06.2023
Test Completed on	: 26.06.2023
Environmental Condition	: 25.0°C - 28.0°C

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	Appearance	Visual observation	-	Clear	Clear	Clear
2	Odour	IS 3025 Part 5 - 1983	-	Agreeable	Agreeable	Agreeable
3	Turbidity	APHA 23rd Edition 2017 - 2130 B	NTU	0	1	5
4	Total Dissolved Solids	APHA 23rd Edition 2017 - 2540 C	mg/l	63	500	2000
5	Conductivity	APHA 23rd Edition 2017 - 2510 D	µS/cm	90	-	-
6	F - Alkalinity	IS 3025-Part 23-1983	mg/l	Nil	-	-
7	Calcium as Ca	APHA 23rd Edition 2017 - 3500 Ca B	mg/l	0	75	200
8	Magnesium as Mg	APHA 23rd Edition 2017- 3500 Mg B	mg/l	0	30	100
9	Iron as Fe	APHA 23rd Edition 2017- 3500 Fe B	mg/l	0	0.3	1
10	Manganese as Mn	APHA 23rd Edition 2017 - 3500 Mn B	mg/l	0	0.1	0.2

M. S. Srinivasan
Authorized Signatory
E. Iyyappa Babu
Assistant Executive Engineer

Note:

- The test results relate only to the items tested.
- The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
- Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
- The result applied to the sample as received basis.

**TAMILNADU WATER SUPPLY AND DRAINAGE BOARD****DISTRICT WATER TESTING LABORATORY**

Municipal Building, Weekly Market Street

Sivagangai - 630 561

Phone: 04575 - 243178

E-mail: wtlsvg@gmail.com

TEST REPORT

Doc. No: DWTL/FORM/7.8.01

Report No.	TR/2023/ 27610-2	Report Issue Date :	26.06.2023	Page No:02 of 02
Invoice Details:	999 /Dr.20.06.2023/Amr.Rs.1180/-			

11	Ammonia as NH ₃	APHA 17th Edition-1989-4500-NH ₃ DC	mg/L	0	0.5	0.5
----	----------------------------	--	------	---	-----	-----

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
12	Nitrate as NO ₃	APHA 21st Edition 2017- 4500-NO ₃ B	mg/L	0	-	-
13	Total Phosphate as PO ₄	APHA 21st Edition 2017 - 4500 P- D	mg/L	0	-	-
14	Total Hardness	APHA 21st Edition 2017 - 4500 O - B	mg/L	0	-	-
15	Residual Chlorine	ISAPHA	mg/L	0.0	0.2	1.0
BACTERIOLOGICAL EXAMINATION						
16	Fecal Coliform	ISAPHA	CFU/100ML	0	0	0

Report: The tested sample conformed to IS:10500/2012(ISA: 2012)drinking water specification with respect to above tested parameters.

.....End of the report.....

E. Jyappa Babu
 Authorized Signatory
 E. Jyappa Babu
 Assistant Executive Engineer

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of issue of the test report.
4. The result applied to the sample as received basis.

TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD WATER ANALYSIS LABORATORY

THIRUPPATHUR

Invoice No: 779

TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD

Date: 20.06.2023

To: THE TENDRA
KENDRAN/ALP/ALP/RTC, ITMP
THIRUPATHUR, SIVAGANGAI DISTRICT

Your Ref. No

Our Ref No: TRW/10/2023

Sl. No.	Description	No. of Samples	Rate	Amount
	(wards testing of Water Sample for <u>Physical / Chemical & Bacteriological /</u> <u>Bacteriological / Bleaching / Alum /</u> <u>Construction Examination</u>	<u>2</u>	<u>500</u>	<u>1000</u>
	<u>Location of Sample</u>	<u>1</u>	<u>400</u>	<u>400</u>
	<u>provide water meter</u>	<u>1</u>	<u>152</u>	<u>152</u>
	<u>Gauges</u>			<u>252</u>
				<u>1652</u>
				<u>Total</u>

(Rupees ONE THOUSAND SIX HUNDRED AND FIFTY TWO ONLY)

TO: THE TENDRA
KENDRAN/ALP/ALP/RTC
THIRUPATHUR
SIVAGANGAI DISTRICT

[Signature]
Assistant Engineer
TWAD BOARD
Water Testing Laboratory
Sivagangai

**ASST. ENGINEER
TWAD BOARD SUB DIVISION
THIRUPPATHUR**

Note: The water analysis charges should be paid by Demand Draft only in drawn in favour of
The Administrative Officer, TWAD Board, S.R. Circle, SIVAGANGAI
Sub Division