

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	KENDRIYA VIDYALAYA
2	AFFILIATION NO.(IF APPLICABLE)	2700032
3	SCHOOL CODE (IF APPLICABLE)	29009
4	COMPLETE ADDRESS WITH PIN CODE	KENDRIYA VIDYALAYA AAI RANGPURI, NEW DELHI - 110037
5	PRINCIPAL NAME	Mr. HARIPADA DAS
6	PRINCIPAL QUALIFICATION	M.Com, B.Ed
7	SCHOOL EMAIL ID	aaikvrangpuri@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	011-26892589, 9968778268

B : DOCUMENTS AND INFORMATION:

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	https://rangpuriaai.kvs.ac.in/academics/results-analysis
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	https://rangpuriaai.kvs.ac.in/mandatory_public_disclosure

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	https://rangpuriaai.kvs.ac.in/academics/fees-structure
2	ANNUAL ACADEMIC CALENDER	https://rangpuriaai.kvs.ac.in/activities/calendar-activity
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	https://rangpuriaai.kvs.ac.in/administration/vmc-member
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	https://rangpuriaai.kvs.ac.in/administration/committees
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	https://rangpuriaai.kvs.ac.in/academics/results-analysis

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL	HARIPADA DAS

2	TOTAL NO. OF TEACHERS	30
	PGT	11
	TGT	13
	PRT	6
3	TEACHERS SECTION RATIO	1:1
4	DETAILS OF SPECIAL EDUCATOR	01
5	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	01

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	68	66	97.05	

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	118	108	91.5	

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQ MTR)	21043.7
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	20 & 60.8
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	8 & 90
4	INTERNET FACILITY	YES
5	NO. OF GIRLS TOILETS	5
6	NO. OF BOYS TOILETS	5
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://www.youtube.com/watch?v=s6i1NkJeh0&t=14s

Details OF SCHOOL AFFILIATED TO
Central Board of Secondary Education

Details Of The School Filled up AFFILIATION/OASIS	
Name of Institution	KENDRIYA VIDYALAYA
Affiliation Number	2700032
State	DELHI
District	NEW DELHI
Postal Address	A.A.I RANGPURI NEW DELHI
Pin Code	110037
Website	http://www.kv4dc.g
Year of Foundation	1993
Date of First Opening of School	24 Jun 2006
Name of Principal/ Head of Institution	HARIPADA DAS
Gender	Female
Principal's Educational/Professional Qualifications:	M.COM, B.ED
No of Experience (in Years):	
Administrative:	8
Teaching:	21
Status of The School	Senior Secondary Level
Affiliation Period	From : 01/04/2024 To : 31/03/2029
Name of Trust/ Society/ Managing Committee	K V S
Remarks, if any	



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Ref. No: AAI/RHQ/NR/Engg(C)/KV/AMC/Civil/2023-24/106

Date: 14.06.2023

TO WHOMSOEVER IT MAY CONCERN

Subject: Safety certificate for Kendriya Vidyalaya at Rangpuri.

Ref: Letter no: KV AAI/RGP/2023-24/B6 dated 05.06.2023

Above mentioned Kendriya Vidyalaya building was built in early 1980. Keeping in view, as per visual inspection the building structure of Kendriya Vidyalaya Rangpuri seems to be safe and no major cracks/deficiencies in the structure have been noticed.

This is issued with above mentioned reference and as required by the concerned.

14.06.2023
AM (E-C)
RHQ-NR

14.06.2023
AGM (E-C)
RHQ-NR.

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE
NEW DELHI-110001


No F 6 DFS/MS/School/2021/SZ/ 519

Dated 23/7/2021

FIRE SAFETY CERTIFICATE

Certified that the Kendriya Vidyalaya A.A.I Rangpuri, New Delhi 110037 comprised of ground plus two upper floors in one block and ground plus one upper floor in second block owned/Occupied by Kendriya Vidyalaya A.A.I was granted Fire Safety Certificate by this department vide letter No. F6/DFS/MS/School/2014/SZ/1171 Dt. 11/09/2014. The said premises was re-inspected by officer concerned of this department on 14/07/2021 in presence of Sh. P.P Yadav of the school and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with DOE Circular dated 01/03/2011 and that the building is fit for occupancy class "Educational Building Group - B" with effect from 23/7/2021 for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010.

Issued on 23/7/2021 at New Delhi by


(SUNIL CHAWDHARY)
DY. CHIEF FIRE OFFICER (SZ)

Copy to:-

1. The Principal, Kendriya Vidyalaya A.A.I Rangpuri, New Delhi 110037
2. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi.
3. Dy. Director (Education) Kendriya Vidyalaya Sangathan, Delhi Region, JNU Camp New Mehrauli Road, New Delhi -110067


Conditions for the validity of Fire Safety Certificate

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. This certificate cannot be treated as regularization of unauthorized construction, if any.
5. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
6. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
7. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."

302 B - 11

Commercial Complex, Ranjeet Nagar, New Delhi- 110008
Phone : 9899554242
Email : dwll@watersupermart.com • www.delhiwatertestlab.com

Delhi
**WATER & GENERAL
TEST LAB (P) Ltd.**


 **analysis report**



TEST CERTIFICATE

Test certificate No: DWGTL/24-25/083 CB				Issue Date: 01/07/2024		
Party/company's name: Airport Authority of India Rangpuri, New Delhi C/O Indu Raj Associates				Ref. No.: Nil		
Date of Sample Receipt: 26/06/24				Lab code: DWGTL/24-25/083 CB		
Sample Collected by: DWGTL				Testing Duration : 26/06/24 TO 29/06/24		
Physical analysis	S.N	Parameters	Units	Test Results	Requirements	Test method Used
	1.	Color	----	< 1	5	IS:3025 Pt-4-2002
	2.	Odor	----	Unobjectionable	Unobjectionable	IS:3025 Pt-5-2002
	3.	Taste	----	Agreeable	Agreeable	IS:3025 Pt-8-2006
	4.	Turbidity, NTU	NTU	0.3	1	IS:3025 Pt-10-2002
Chemical analysis	5.	pH	----	7.21	6.5-8.5	IS:3025 Pt-11-2002
	6.	Total Dissolved Solid	mg/l	103	500	IS:3025 Pt-16-2002
	7.	Total Iron as Fe	mg/l	0.04	0.3	IS:3025 Pt-53-2009
	8.	Total Hardness	mg/l	28	200	IS:3025 Pt-21-2003
	9.	Chlorides as Cl	mg/l	20.4	250	IS:3025 Pt-32-2002
	10.	Residual Free chlorine	mg/l	Nil	0.2	IS:3025-Pt.-26-1986
	11.	Sulphate as SO ₄	mg/l	8.6	200	IS:3025pt-24-2003
Microbio-logical test	12.	Fluorides as F-	mg/l	0.09	1.0	IS:3025-Pt.-60-2003
	13.	Coli form	MPN/100ml	Absent	Absent	IS:1622,1981(2003)
	14.	E.Coli	MPN/100ml	Absent	Absent	IS:1622,1981(2003)
REMARKS: With respect to Physical, Chemical & Bacteriological Tests, water confirms to IS: 10500-2012 and can be considered fit for drinking purpose.						

G. Singh
Checked by Sr. Chemist



WE UNDERTAKE TESTING OF : WATER * AIR * EFFLUENTS * MATERIALS

The above result are related only to the sample, Endorsement of products is neither inferred nor implied this report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media with our special written permission. Samples will be destroyed after 15 days from the date of reporting unless otherwise specified.

Total liability of laboratory is limited to the Invoiced amount

Approved by the Municipal Corporation of Delhi (Health Deptt.)