

The Principal,  
 KENDRIYA VIDYALAYA TADONG GANGTOK SIKKIM  
 KENDRIYA VIDYALAYA, GANGTOK, PO- TADONG  
 SIKKIM, EAST SIKKIM, 737102  
 (M: 03592-232646)

**SUBJECT: -Extension of Regular Affiliation up to Secondary/Senior Secondary Level .**

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	1800001
School No	39584
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

**"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".**

**DEPUTY SECRETARY/JOINT SECRETARY (AFF.)**

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	<b>Up to Class-XII</b> The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	

The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.

The number of sections and students shall be restricted as per the actual facilities in the school.

For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in feet

**Important Notes : NA**

*This is an electronically generated document. It does not need any signature.  
To verify the authenticity of the document, please visit (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

NO : CBSE/1800001/EX-05672-2223/2022-23/

Dated: 30/11/2021

The Principal,  
KENDRIYA VIDYALAYA TADONG GANGTOK SIKKIM  
KENDRIYA VIDYALAYA, GANGTOK, PO- TADONG  
SIKKIM, EAST SIKKIM, 737102  
(M: 03592-232646)

**SUBJECT: -Extension of Regular Affiliation up to Secondary/Senior Secondary Level.**

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	1800001
School No	39584
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

**ENROLMENT TABLE**

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	

The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.

The number of sections and students shall be restricted as per the actual facilities in the school.

For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet

Important Notes : NA

*This is an electronically generated document. It does not need any signature.  
To verify the authenticity of the document , please visit (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

**Mandatory Public Disclosure**

**A. GENERAL INFORMATION:**

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	KV LANGTOK
2	AFFILIATION NO (IF APPLICABLE)	1800001
3	SCHOOL CODE (IF APPLICABLE)	39584
4	COMPLETE ADDRESS WITH PIN CODE	KV TADON LANGTOK - 737102
5	PRINCIPAL NAME & QUALIFICATION	SH. BIKASH KUMAR MURMU M.Sc. B.Ed.
6	SCHOOL EMAIL ID	kvgangtok2022@gmail.com
7	CONTACT DETAILS (LANDLINE/MOBILE)	7903922348

**B. DOCUMENTS AND INFORMATION:**

SL NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS

## RESULT CLASS: X

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2022-23	29	29	100%	
2	2020-21	37	37	100%	
	21-22	32	32	100%	


S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1.	2022-23	54 ( <del>58</del> ) / 17	52 / 17	96.3%	( <del>not appeared</del> )
2.	2021-22	39	39	100%	

3.

"शिक्षा केंद्र", 2, सामुदायिक केंद्र, प्रीत विहार, दिल्ली-110092

"SHIKSHA KENDRA" 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-110092

Phone (off.) : 011-22509256-59, 22041807-09, Website: www.cbse.gov.in, www.cbse.nic.in



<p>केन्द्रीय विद्यालय गंगटोक (शिक्षा मंत्रालय भारत सरकार के अधीन स्वायत्त संस्थान) पी ओ ताडोंग, गंगटोक (सिक्किम) - 737102</p>		<p>KENDRIYA VIDYALAYA GANGTOK (An Autonomous Body under Ministry of Education, Govt. of India ) P.O-1ADONG ,Gangtok(Sikkim) -737102 Ph :03592-232646 Email :kvgangtok2022@gmail.com Web: https://gangtok.kvs.ac.in</p>
KVC Code : 1252 CBSE School Code : 39584	CBSE Affiliation No. 1800001UDISE : 11040301103	

F.25/1252/KVG/2024-25/102

Date: 19.07.2024

To  
The GE  
MES, Gangtok.

Subject:- Request for issue of School Building Safety Certificate of this  
Vidyalaya-reg.

Sir,

With reference to the subject cited above, I am to inform you that we have to submit Safety Certificate of School building of this Vidyalaya to KVS (RO) Kolkata every year. In this connection we need Safety Certificate of school building Block II and Administrative Block of this Vidyalaya.

Therefore, you are requested to kindly make the necessary arrangement for providing School building safety certificate at the earliest so that we may forward it to KVS (RO) Kolkata immediately.

With regards

Yours faithfully,

( Bikash Kumar Murmu )  
Principal

पि.ओ. ताडोंग, गंगटोक, सिक्किम  
गंगटोक / Gangtok

Received  
25/7/24

01

FIRE SAFETY CERTIFICATE

No. 05/POA/CPSES/GTK./FS./199

Dated: 3/6/2024

Certified that the 14 Room AI Building (name of the building) or premises) at Syasi Gangtok - Kendriya Vidyalaya (+2) (address) comprised of One basement(s) and Two floor (upper floors) owned/ occupied by Kendriya Vidyalaya Gangtok (name of the institution) have complied with the fire prevention and fire safety requirements in accordance with rule of State/ UT Fire Service Rules, and verified by the officers concerned of Fire Service on 3/6/2024 (date of inspection) in the presence of Principal K.V. Gangtok (name and addresses of the Manager/ Secretary or his representative) and that the building/ premises is fit for occupancy upto classes XII ( XI/ XII) With effect from 3.6.2024 for a period of one year in accordance with rule and subject to compliance of specific conditions as appended:-

- 1.
- 2.
- 3.
- 4.

Issued on 3/6/2024 (date of issue) at Fire Dept. (place) by

\*Strike out whichever is not applicable.



Signature with Seal: [Signature]  
 Name : Sonam Bhutia  
 Designation : Fire Station Officer  
 Name & Address of Department/ Office: Gangtok, Fire Station

To Kendriya Vidyalaya Gangtok  
Syasi  
 (Name & Address of the Institution)

ENDORSEMENT

The No Objection Certificate issued by Fire Service stand cancelled an annulled due to .....  
 (reasons to be recorded).

(Name and designation of the authorized signatory)

\* The filled up certificate should be either in Hindi or English. If it is issued in vernacular language, translated notarized version in English be uploaded along with the original vernacular certificate as a single pdf.



# NORTH BENGAL CHEMICAL TESTING AND ANALYSIS LAB (MICRO-DIVISION)



Registered Under Govt. of West Bengal, DIC Entrepreneur's Memorandum No.: 190012110563 dt. 09/10/2009.  
 Registered Under Govt. of India, MSME Udyog Aadhaar Registration UAM No.: WB06D0003024 dt. 12/02/2020.  
 Sample deposit & Report Collection Office Cum Lab: Maa Kalyani Kall Bari, Gadadharsarani, P. O Rabindrasarani  
 Rabindranagar, Siliguri, Pin-734006, Dist-Darjeeling, State-West Bengal, India. Phone: 97330-30549/ 0353-3550566  
 Email.nbctalsg09@gmail.com/siligurilab@gmail.com/www.Northbengalchemicaltestingandanalysislab.siliguri.

## Certificate for PHE Filter House Water analysis

Name and address of client:

TO  
 Nb Sub / JE(E/M), GARRISON ENGINEERS  
 NEW MIL STN, GANGTOK, SIKKIM-727301.

Analysis Report Number  
 NBCTAL /09/2023/22

### RESULTS OF ANALYSIS AS PER BIS 10500: 2012

Sample Received on	Analysis Duration	Sample Description & Work / Service. Order/ Ref. No. Work Order Dated. of client's,	Quantity of Sample	Sample Submitted by
29/09/2023	29/09/2023 to 06/10/2023	<b>PHE Filter House Water</b> Work / Service Order No. 4015/13 /E4, Work Order Dated-30 Sep 2023.	1x 375 ml (approx)	Drawn by Party (Sample will be destroyed by us after issuance of this certificate).

Table- 1- Organoleptic and Physical Parameter (Foreword and Clause 4) OR Physical Test:

Sl No. (1)	Characteristic (2)	Requirement (Acceptable Limit) (3)	Permissible Limit in the Absence of Alternate Source (4)	Method of Test, Ref to Part of IS 3025(5)	Results Obtained
i)	pH value	6.5 - 8.5	No relaxation	IS 3025 (Part 11)	7.00
ii)	Total Dissolved solids (TDS), mg/l, Max	500	2000	IS 3025 (Part 16)	24 mg/l

Table- 2 General Parameters Concerning Substances Undesirable in Excessive Amounts(Foreword and Clause4)OR Chemical Test :

Sl No. (1)	Characteristic (2)	Requirement (Acceptable Limit) (3)	Permissible Limit in the Absence of Alternate Source (4)	Method of Test, Ref to Part of IS 3025(5)	Results Obtained
i)	Iron (as Fe), mg/l, Max	0.3	No relaxation	IS 3025 (Part 53)	0.15 mg/l
ii)	Calcium (as Ca), mg/l, Max	75	200	IS 3025 (Part 40)	4.50 mg/l
iii)	Magnesium (as Mg), mg/l Max.	3.0	100	IS 3025 (Part 46)	1.00 mg/l
iv)	Total hardness (as CaCO <sub>3</sub> ), mg/l, Max	200	600	IS 3025 (Part 21)	15 mg/l

Table- 3- Parameters Concerning Toxic Substances (Foreword and Clause 4)

Sl No. (1)	Characteristic (2)	Requirement (Acceptable Limit) (3)	Permissible Limit in the Absence of Alternate Source(4)	Method of Test, Ref to Part of IS 3025(5)	Results Obtained
i)	Lead (as Pb), mg/l, Max	0.01	No relaxation	IS 3025 (Part 47)	Less than 0.01

Table 6-Bacteriological Quality of Drinking Water (Clause 4.1.1) OR Bacteriological Test:

Sl No. (1)	Organisms (2)	Requirement (3)	Method of Test, MPN	Results Obtained
i)	E. coli or thermotolerant coliform bacteria	Shall not be detectable in any 100 ml sample	Method of Test, MPN IS 1622	Absent
ii)	Total Coliform Bacteria	Shall not be detectable in any 100 ml sample	Method of Test, MPN IS 1622	Absent

**Impression: Water Bacteriologically Safe.**

Date of Issue: 06/10/2023

For N.B.C.T.A.L  
*S. Maiti*  
 (Authorised Signatory)

**NOTE:**

- The results given above are related to the tested sample, as received & parameters as mentioned in Work/Service Order by the customer for the above tests only.
- In case of lack of correlation due to technical/typing error, laboratory should be informed immediately for rectification (rewriting/retesting and retesting etc.
- This test report will not be generated again, either wholly or in part, without permission of the Laboratory.
- Contents of this report are meant for your guidance and should not be used for advertisements, evidence or litigation. NBCTAL is not an NABL lab.
- Responsibility of the Laboratory is limited to the invoiced amount only. Any type of consultancy on plant/project set up is not provided by NBCTAL.

REPORT ENDS