केन्द्रीय विद्यालय, संगठन
शिक्षा मंत्रालय, भारत सरकार
क्षेत्रीय कार्यालय, सिलचर
नियर लॉयन्स आई. हॉस्पीटल,
कैप्टन एन एम. गुप्ता सरणी, सिलचर -788001
(03842) 234009 (DC)/ 246886(ACs)
/245737 (AO) /261784 (FO)

केन्द्रीय विद्यालय संगठन

KENDRIYA VIDYALAYA SANGATHAN
Ministry of Education, Govt. of India
REGIONAL OFFICE, SILCHAR
Near Lion's Eye Hospital, Captain
N.M. Gupta Sarani, Silchar-788001
E-mail: dckvsrosilchar@gmail.com
Web. www.rosilchar.kvs.gov.in

F.29346/2026-KVS(SR)/Affiliation/ 4779

Dated: 14.07.2026
E-mail/Speed Post

To

The Principal,
PM SHRI Kendriya Vidyalaya
Aizawl.

Sub: Approval for extension of CBSE Affiliation from the academic session 2027-2028-regarding.

Ref: Your letter No. F./KV-AZL/2026-27/ dated 29.06.2026.

Sir,

With reference to the subject cited above, approval is hereby accorded for extension of CBSE Affiliation in respect of PM SHRI KV Aizawl for 05 (Five) years from the academic session 2027-2028 to 2031-32.

This is for information and necessary action at your end.

Yours faithfully

(Dr. Anurag Yadav)
Deputy Commissioner

21/7/26

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

पीएम श्री केन्द्रीय विद्यालय, आइज़ोल (*मिज़ोरम*)
PM SHRI KENDRIYA VIDYALAYA AIZAWL (MIZORAM)
प्रोजेक्ट पुष्पक,ज़ेमाबोक,आइजोल / PROJECT PUSHPAK ZEMABAWK,AIZAWL-796017
Website: **https://aizawal.kvs.ac.in** Email id:- **kvaizawl@gmail.com**
Phone and Fax No: **0389-2351128/ 2351033**

F.1856/KV AIZ/OFFICE/2026-27/

Date: 27.07.2026

CERTIFICATE

This is to verify that PM SHRI Kendriya Vidyalaya Aizawl is under the Ministry of Education and that all items of RTE act are being followed in letter and spirit.

(JAIBIR SINGH)
PRINCIPAL
PM SHRI Kendriya Vidyala Aizawl

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

NO.FS/RO/NOC/BLDG (O)/3/2024/
GOVERNMENT OF MIZORAM
FIRE & EMERGENCY SERVICES MIZORAM
MIZORAM : AIZAWL

Phone:03892341203
Email : firemizo@gmail.com

Hunthar Veng , Aizawl :796009
Dated Aizawl, the June, 2024

NO OBJECTION CERTIFICATE (FINAL)

This is to certify that ***Kendriya Vidyalaya, Project Pushpak***, *Thuampui, Aizawl* has been inspected in respect of implementation of inbuilt Fire fighting/ Fire Prevention arrangement and is declared fit at the time of inspection for issuing **FINAL NOC.** The Fire & Emergency Services, Mizoram has no objection in its occupation/ utilization for the purpose of *Kendriya Vidyalaya, Project Pushpak, Thuampui, Aizawl.*

Note :

1. *The Final NOC is valid for 4 (Four) years from the date of issue.*
2. *There should not be any change of trade for which NOC has been issued.*
3. *The Fire Fighting Equipment should always be in serviceable condition.*
4. *Water reservoir should always be kept full up to the brim.*
5. *The entrance, exit and water reservoir should always be free from any obstruction.*
6. *There should not be any structural change of the building either horizontally or vertically and there should not be any change in the existing fire fighting arrangement.*
7. *NOC is liable to be cancelled if the premises when inspected are not found conforming to the description and condition under this NOC is granted.*

FIRE & EMERGENCY SERVICES
MIZORAM : AIZAWL

4/6/24.

(REX ZARZOLIANA VANCHHAWNG)
Superintendent of Police
for Director
Fire & Emergency Services
Mizoram: Aizawl.

Memo No: FS/RO/NOC/BLDG (O)/3/2024/ *Dated: Aizawl, the June, 2024*

Copy to:

1. *The Principal Kendriya Vidyalaya Project Pushpak, Thuampui, Aizawl for kind information.*
2. *Guard file.*

4/6/24.

Superintendent of Police
for Director
Fire & Emergency Services
Mizoram: Aizawl.

27/7/24.

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

भारत सरकार
Government of India
केन्द्रीय लोक निर्माण विभाग
CENTRAL PUBLIC WORKS DEPARTMENT
कार्यपालक अभियंता का कार्यालय
OFFICE OF THE EXECUTIVE ENGINEER
आइजोलकेन्द्रीय मंडल, सी.पी.डब्लू.डी., जोमुआनविला, प्रथमतल, चौलमुन, आइजोल–796009(मिजोरम)
AIZAWL CENTRAL DIVISION, CPWD, ZOMUAN VILLA, 1ST FLOOR, CHAWLHHMUN,AIZAWL-796009(MIZORAM)

No. 54(22)/ACD/2025-26/ 31 Dated: 08/09/2025

To ,

The Principal
KendriyaVidyalaya
Project PushpakZemabawk,
Aizawl (Mizoram) – 796017

Subject: Structural Safety & Stability Certificate of Vidyalaya Building, Staff Quarters and Boundary Wall of Kendriya Vidyalaya Project Pushphak, Zemabawk, Aizawl.

Reference No: F.1856/2025-26/211 Dated:28.07.2025

Dear Sir,

With reference to your letter on the above cited subject, this is to certify that the Permanent School Building, Staff Quarters, and Boundary Wall of Kendriya Vidyalaya were inspected by the undersigned along with the concerned Assistant Engineer on 15.08.2025 and **It is Certifed that the permanent School Building and Staff Quarters are apparently seems to be safe.**

· However, **some portions of the boundary wall are not structurally sound and safe** and some portion of the wall even collapsed due to absence of any protective measures like Retaining wall etc. on the down side of the premises.

· It is **recommended that renovation of the boundary wall and retaining wall may be carried out at the earliest** to ensure structural safety and stability of the school building.

08.09.2025
Executive Engineer
Aizawl Central Division
CPWD, Aizawl - 796009

27/7/26
प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

GOVERNMENT OF MIZORAM
OFFICE OF THE EXECUTIVE ENGINEER
SEWERAGE & DRAINAGE AIZAWL EAST DIVISION
PUBLIC HEALTH ENGINEERING DEPARTMENT
Tuikhuahtlang, Aizawl, Mizoram – 796001
E-mail: eephedsnd@gmail.com

स्वच्छ भारत
एक कदम स्वच्छता की ओर

No. 8-TB/2022-EE(S&D)/PHE/77 : Dated Aizawl, the 13th July, 2026

Certificate for Safe Drinking Water and Sanitation Condition

It is to certified that an Inspection headed by Mr. Henry Lalrinzawna, Sub-Divisional Officer from Sewerage & Drainage Aizawl East-II Sub-Division, Public Health Engineering Department, Aizawl, Mizoram Inspected the PM SHRI Kendriya Vidyalaya Aizawl, Project Pushpak, Zemabawk, Aizawl, Mizoram – 796017 on 09th July, 2026 and on the basis of Water Test Report (Attached) bearing No.VL/LB/2026-2027/216 Dated 09th July, 2026 of State Referral Institute (SRI), PHE, Govt. of Mizoram (PHED, Lab.,) certified that the PM SHRI Kendriya Vidyalaya Aizawl, Project Pushpak, Zemabawk, Aizawl, Mizoram has Safe Drinking Water facilities for the students and members of staff of the Institution.

School is also maintained safe and hygienic Sanitation Condition in the school building and the campus as per norms prescribed by the Central / State / UT Government.

This Certificate is valid till 1 (one) year.

Signature with Seal

Name : **LALMUANKIMA**

Designation : **Executive Engineer, PHED**

Name and Address of the Office/ Department : **Sewerage & Drainage Aizawl East Division**
Public Health Engineering Department
Government of Mizoram
Tuikhuahtlang, Mizoram - 796001

Executive Engineer, PHE
Sewerage & Drainage
Aizawl East Division

2/7/26

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

(SRI), Government of Mizoram
Khuahtlang, Mizoram - 796001
T : 0389-2322601, Fax : 0389-2321604

STATE REFERRAL INSTITUTE

Name & Address of the Customer

PM Shri Kendriya Vidyalaya
Project Pushpak, Thuampui,
Aizawl
Contact :- 7501701063

TEST REPORT

Report No. : VL/LB/2026-2027/216
Report Date : 09.07.2026
Sample ID : SRI2627216
Date of Receipt of Sample : 09.07.2026
Date(s) of Performance : 09.07.2026
Reference No. & Date :

We hereby Certify that the following sample submitted to the Laboratory has been analysed with the following results :

1	Source & Place of Sampling	Kendriya Vidyalaya School Tui
2	Sample Mark (if any, given by the customer)	-
3	Name of Sample Collector	R. Lalrinchhana, JE, PHED
4	Date of Sampling of the Customer	09.07.2026
5	Description of Sample (As declared by customer)	For commercial purpose
6	Environmental conditions during testing	Temp 23.3°C & RH 75%

S.N.	Characteristics	B.I.S Specification for drinking IS-10500 : 2012		Method of Test	Results
		Acceptable Limit	Permissible Limit		
1	pH at 23.3°C	6.5-8.5	-	APHA 24th Ed.2023, 4500 H+B	7.64
2	Total Dissolved Solids (in mg/l)	500.0	2000.0	APHA 24th Ed.2023 2540 C	62.00
3	Conductivity (in µmho/cm)	500.0	1500.0	APHA 24th Ed.2023, 2510 B	123.7 @ 24.1°C
4	Colour	5.0	15	APHA 24th Ed.2023 2120 B	< 5
5	Odour	Agreeable	Agreeable	IS: 3025 (Part 5) 1983	Agreeable
6	Taste	Agreeable	Agreeable	APHA 24th Ed.2023, 2160 C	Agreeable
7	Turbidity (in NTU)	1.0	5.0	APHA 24th Ed.2023, 2130 B	0.02
8	Total Alkalinity as $CaCO_3$	200.0	600.0	APHA 24th Ed.2023, 2320 B	36.00
9	Total Chloride	250.0	1000.0	APHA 24th Ed.2023 4500-Cl- B	17.00
10	Total Hardness	300.0	600.0	APHA 24th Ed.2023, 2340 C	46.00
11	Calcium as Ca	75.0	200.0	APHA 24th Ed.2023, 3500-Ca B	12.02
12	Magnesium as $CaCO_3$	30.0	100.0	APHA 24th Ed.2023, 3500-Mg B	3.89

Disclaimer :

The results relate only to the item(s) tested as received.
This Test Report shall not be reproduced except in full, without the permission of State Referral Institute, PHED.
The reserved part of sample(s) shall be retained for 15 days from the date of Completion of Test.
The laboratory is responsible for all the information given in the report.

Reviewed by

(LALHRIATZUALI RENTHLEI)
Quality Manger
State Referral Institute
(State Laboratory)
PHED, Mizoram

CHIEF CHEMIST, STATE REFERRAL INSTITUTE, PHED * GOVT. OF MIZORAM *

****** End of report ******

Authorised by

(LALHRIATZUALI RENTHLEI)
Quality Manger
State Referral Institute
(State Laboratory)
PHED, Mizoram.

Scanned with OKEN Scanner

5/18/2021

STATE REFERRAL INSTITUTE

PHE (SRI), Government of Mizoram
Tuikhuahtlang, Mizoram - 796001
Tel : 0389-2322601, Fax : 0389-2321604

TEST REPORT

Name & Address of the Customer

PM Shri Kendriya Vidyalaya
Project Pushpak, Thuampui,
Aizawl
Contact :- 7501701063

Report No.	: VL/LB/2026-2027/216
Report Date	: 09.07.2026
Sample ID	: SR12627216
Date of Receipt of Sample	: 09.07.2026
Date(s) of Performance	: 09.07.2026
Reference No. & Date	:

We hereby Certify that the following sample submitted to the Laboratory has been analysed with the following results :

1	Source & Place of Sampling	Kendriya Vidyalaya School Tui
2	Sample Mark (if any, given by the customer)	-
3	Name of Sample Collector	R. Lalrinchhana, JE, PHED
4	Date of Sampling of the Customer	09.07.2026
5	Description of Sample (As declared by customer)	For commercial purpose
6	Environmental conditions during testing	Temp 23.3°C & RH 75%

SN.	Characteristics	B.I.S Specification for drinking IS-10500 : 2012		Method of Test	Results
		Acceptable Limit	Permissible Limit		
1	Iron	1.0	1.0	Palm Test	0.02 mg/l

Disclaimer :

- The results relate only to the item(s) tested as received.
- This Test Report shall not be reproduced except in full, without the permission of State Referral Institute, PHED.
- The reserved part of sample(s) shall be retained for 15 days from the date of Completion of Test.
- The laboratory is responsible for all the information given in the report.

Reviewed by

(LALHRIATZUALI RENTHLEI)
Quality Manger

Quality Manager
State Referal Insititute
(State Laboratory)
PHED, Mizoram

CHIEF CHEMIST, STATE REFERRAL INSTITUTE, PHED * GOVT. OF MIZORAM *

****** End of report ******

Authorised by

(LALHRIATZUALI RENTHLEI)
Quality Manger

Quality Manager
State Referal Insititute
(State Laboratory)
PHED, Mizoram

Scanned with OKEN Scanner

Appendix-1A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF *1860 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF

D E L H I.

No. S.2884 of 1965 -1966 .

I hereby certify that *CENTRAL SCHOOLS ORGANIZATION*

has this day been registered under the Societies Registration Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE

Fee Rs. 50.00 paid.

DELHI

REGISTRAR OF SOCIETIES DELHI

(SURENDER KISHORE)
REGISTRAR OF SOCIETIES
DELHI.

No.S/1884/167.

Dated 15-12-1965

From
The Registrar of Societies,
Old Secretriat,
Delhi.

To
Shri S.N. Dutt, Under Secy.,
Central School Units,
Room No.16, E-Block,
Ministry of Education, N.Delhi

Reg: * CENTRAL SCHOOLS ORGANIZATION *.

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Yours faithfully,

(SURENDER KISHORE)
REGISTRAR OF SOCIETIES,
DELHI.

Acknowledged.
15/12

Encl: One Certificate.

DELHI

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)—796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)—796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

NO : CBSE/2300001/EX-01383-2223/2022-23/ Dated: 07/05/2021

The Manager,
KENDRIYA VIDYALAYA AIZAWL MIZORAM
KENDRIYA VIDYALAYA,PROJECT PUSHPAK,PO-ZEMABAWK,DT- AIZAWL
MIZORAM,AIZAWL, 796017
(M: 0389-2351128)

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level .

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2300001
School No	39362
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., http://cbseacademic.nic.in/ & http://cbse.nic.in for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

Office for filing
07/05/2021

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)

Principal
Kendriya Vidyalaya
Pushpak, Zemabawk
Aizawl-796017

A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	**Up to Class-XII** The number of sections shall be restricted in accordance with '**H**' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	

- The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.
- The number of sections and students shall be restricted as per the actual facilities in the school.
- For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet

Important Notes : Grant with conditions to maintain the section –teacher ratio as per the affiliation bye laws. The school is required to follow the rules and regulations of the Board.
School is required to appoint wellness teacher as per affiliation bye laws.

Print

27/7/24

प्राचार्य / PRINCIPAL
पीएम श्री केन्द्रीय विद्यालय
PM SHRI KENDRIYA VIDYALAYA
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

अध्यक्ष / Chairman
वि.प्र. समिति पीएम श्री केन्द्रीय विद्यालय
V.M.C. PM SHRI Kendriya Vidyalaya
आइजोल (मिजोरम)–796017
Aizawl (Mizoram)-796017

Scanned with OKEN Scanner

SELF - CERTIFICATION FORMAT

Category of application : Extension of Affiliation	
We (i) JAIBIR SINGH (Principal) of the school PM SHRI KENDRIYA VIDYALAYA certify that :	
1.	The following uploaded documents are genuine and valid
*	Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
*	Approval letter issued by appropriate Govt authority : DEPUTY COMMISSIONER KVS RO SILCHAR
*	Fire Safety Certificate No.: FS/RO/NOC/BLDG (0)/3/2024
*	Fire Safety Certificate Issuing Authority : SP FOR DIRECTOR FIRE AND EMERGENCY SERVICE MIZORAM
*	Fire Safety Certificate Expiry Date: 03/06/2028
*	Building Safety Certificate No.: NO.54(22)/ACD/2025-26/31
*	Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : EXECUTIVE ENGINEER AIZAWL CENTRAL DIVISION CPWD
*	Building Safety Certificate Expiry Date: 14/08/2026
2.	The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3.	That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4.	That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation
Names and Signature(s) : JAIBIR SINGH	
Principal प्राचार्य / PRINCIPAL पीएम श्री केन्द्रीय विद्यालय PM SHRI KENDRIYA VIDYALAYA आइजोल (मिजोरम)–796017 Aizawl (Mizoram)-796017	
Date :29/07/2026	Place : AIZAWL, MIZORAM

Scanned with OKEN Scanner