

SELF - CERTIFICATE PROFORMA

Category of application: Extension of Affiliation

I (Principal) of the school PM SHRI KV BSF SHIKAR certify that:

1	The following uploaded documents are valid and genuine:
*	Establishment letter issued by the appropriate authority i.e. Kendriya Vidyalaya Sangathan
*	Recognition certificate: 24558(CBSE School code) 1600037 (CBSE AFFILIATION No.)
*	Recognition issuing authority: CBSE Delhi
*	Fire Satefy certificate No. PBIP-(FIRE) 2026/12406 Dated: 31/08/2026
*	Fire Satefy certificate issuing authority : PUNJAB FIRE and EMERGENCY Services
*	Fire safety certificate expiry Date: 30/08/2029
*	Building Safety certificate No. 20(DBN Shikar)अ.म./2026/658-हि.
*	Building Satefy certificate issuing authority: CPWD,Amritsar Division
*	Trust/Society/Company registration no.S.2884 of 1965-66
*	Trust/Society/Company registration issuing authority:Registrar of Socieites Delhi
2	The mandatory disclosure has been displayed on the school's website and it's link has been filled in the part A of the application.
3	That we have uploaded/ submitted all the self-attested documents/information on the school's website and link in the application and the same are true and genuine.
4	That if any of the information is found to be false, misleading and/ or that the fail(s) to disclose all the information and /or suppress any information and/ or mispresent the information, the Board shall also be free to take any action including withdrawal of affiliation.

Name(s) and signature(s):


प्राचार्य
पी.एम. श्री केन्द्रीय विद्यालय
बी.एस.एफ. शिकार, डेरा बाबा नानक,
गुरदासपुर, पंजाब-143605

(PRINCIPAL)

Date: 17/09/2026

Place: Shikar, Dera Baba Nanak, Gurdaspur

NO: CBSE/1600037/EX-01777-2223/2022-23/

The Manager,
K V SHIKAR GURDASPUR PUNJAB
KENDRIYA VIDYALAYA, DERA BABA NANAK, SHIKAR DISTT GURDASPUR
PUNJAB, GURDASPUR, 143604
(M: 01871-267650)

Dated: 03/06/2021

SL-V.S.S. 30 N/A
Office to file
10.6.2021

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	1600037
School No	24558
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye - Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy thereof for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
	Class-X Cities (Clause 3.5) and			

प्राचार्य
श्री केंद्रीय विद्यालय
बा.एस.एफ. शिकार, डेरा बाबा नानक,
गुरदासपुर, पंजाब-143605



भारत सरकार
GOVT. OF INDIA

केंद्रीय लोक निर्माण विभाग
CENTRAL PUBLIC WORKS DEPARTMENT



कार्यपालक अभियंता - अमृतसर
अमृतसर मण्डल, 2/1 राम तीर्थ रोड,
के.लो.नि.वि. अमृतसर - 143001
दूरभाष 0183-2560910, 2225822
ई मेल - eeacd.asr@cpwd.gov.in



Executive Engineer-Amritsar
Amritsar Division
2/1 Ram Tirath Road
CPWD, Amritsar - 143001
PH: 0183-2560910, 2225822
E-Mail - eeasrcpwd2012@gmail.com

सं 20(DBN Shikar)अ.म./2026/658-हि.
सेवा मे

दिनांक : 27.04.2026

✓ प्राचार्य

पी एम श्री केन्द्रीय विद्यालय
सीमा सुरक्षा बल शिकार
गुरदासपुर

विषय: भवन सुरक्षा प्रमाण पत्र (Building safety Certificate) जारी करने के संबंध में ।
संदर्भ: सहायक अभियंता के कार्यालय का पत्र सं. 23(350)/अ.उ.म.-III/2026/23-हि. दिनांक
27.04.2026

महोदय,

उपरोक्त विषय एवं संदर्भित पत्र के संबंध में आपको सूचित किया जाता है कि सहायक अभियंता उप-मण्डल- III के द्वारा किए गए कार्यस्थल निरीक्षण तथा उनकी संस्तुति (Recommendation) के अनुसार (छायाप्रति संलग्न), केन्द्रीय विद्यालय भवन तथा कर्मचारी आवास (Staff Quarter) संरचनात्मक रूप से सुरक्षित है।

यह पत्र कार्यपालक अभियंता - अमृतसर की स्वीकृति से जारी किया गया है।

संलग्न: उपरोक्तानुसार

27/4/26
सहायक अभियंता (यो.)
अमृतसर मण्डल

प्रतिलिपि प्रेषित (ई-मेल द्वारा):

1. सहायक अभियंता, अमृतसर उपमण्डल-III, के.लो.नि.वि., अमृतसर को उनके संस्तुति पत्र के संबंध में ।

सहायक अभियंता (यो.)

प्राचार्य
पी.एम. श्री केन्द्रीय विद्यालय
पी.एम.एफ. शिकार, डेरा बाबा नानक
गुरदासपुर, पंजाब-143605

IRRIGATION & POWER RESEARCH INSTITUTE, PUNJAB, AMRITSAR

WATER TESTING REPORT

Physico-Chemical analysis report of the water sample received from Principal, PM Shri Kendriya Vidyalaya Shikar(BSF), Gurdaspur (Punjab) vide letter no. 2-9/1696/KV-Shikar/2025-26/45 dated 24/06/2026 and received testing fee of Rs. 2865/- (Rs. 2500/- vide D.D. No. "107142" dated 01.07.2026 & departmental charges @ 11.5% of Rs. 365/- vide D.D. No. "107140" dated 01.07.2026) of Union Bank, Kalanaur.

Total No. of Water Samples:

1 No. (Sample supplied by the party)

Whether Sample sealed or not:

Not Sealed

Distinguishing mark (if Any) :

None

Date of Sample Received:

01.07.2026

Sample Location:

Shri Kendriya Vidyalaya Shikar (BSF), Gurdaspur (Punjab) (As per your letter)

Lab Regd. No.:

CD-49/ 2026-27

S. No	Tests	Test results of sample	Acceptable limits as per Second Revision of IS 10500 : 2012
1	Colour (Hazen)	Less than 5 Hazen units	5
2	Odour	Agreeable	Agreeable
3	Turbidity (NTU)	<1.0	1.0 (Max.)
4	pH value	6.61	6.5 to 8.5
5	Conductivity (micromhos/cm)	70	-----
6	Total Dissolved Solids (mg/l)	40	500 (Max.)
7	Carbonate, mg/l	Nil	-----
8	Bicarbonate, mg/l	36.6	200 (Max.)
9	Calcium (as Ca) mg/l	7.2	75 (Max.)
10	Magnesium (as Mg), mg/l	2.9	30 (Max.)
11	Chlorides (as Cl), mg/l	6.0	250 (Max.)
12	Sulphate (as SO ₄), mg/l	8.23	200 (Max.)
13	Total Hardness as CaCO ₃ , mg/l	30	200 (Max.)

Remarks:

1. The supplied water sample was tested as per IS: 3025-1964 (Reaffirmed 2005).
2. The test report relates only to the sample concerned. The lab has no responsibility whatsoever for any discrepancies at site.

[Signature]
Assistant Research Officer
 Chemistry Division
 IPRI, Amritsar.

[Signature]
Research Officer
 Chemistry Division
 IPRI, Amritsar.

[Signature]
 श्री. एम. श्री. केन्द्रीय विद्यालय
 बी.एस.एफ. शिकार, डेरा बाबा नानक,
 गुरदासपुर, पंजाब-143605



Fire Safety Certificate (NEW)
Punjab Fire and Emergency Service
(Fire Station:- Batala)

Fast Track
PUNJAB
Portal

Pin:260853810

ApplicationId:2608860367

Dated 31-Aug-2026

Certificate No: PBIP-(FIRE) 2026/12406

Valid Till: 30-Aug-2029 (3)year



Certified that the building on the name of PM SHRI KENDRIYA VIDYALAYA, is situated at SHIKAR, DERA BABA NANAK, GURDASPUR, owned by SURENDER KUMAR, is comprised of a total covered area of 12140 sq. mtrs and the height of the building is 7 meters including a total of 2 floor(s) and 0 basement(s).

This building is inspected by officer of Punjab Fire and Emergency Service and found complied with the firefighting system requirements of National Building Code, 2005 / 2016, Part-4. The site inspection was carried out in the presence of SURENDER KUMAR. This building / site is fit for occupancy Group Educational-(B) (this occupancy group is as per National Building Code, 2016 Part-4). This certificate is issued with the following conditions and this certificate is valid for 3 year.

Issued on 31-Aug-2026 at -Batala

General Conditions:

1. Owner/Occupier is responsible to maintain the Fire Fighting System and Life Safety Systems in the working condition 24X7 at all the times.
2. No Alteration / addition / Change in Covered Area, Height of Building & Type of Occupancy is allowed..
3. Owner/Occupier shall ensure the periodic Fire Safety Training on Fire Prevention & Operationing of Fire Fighting Systems to among all the occupants and maintain records of the same. Owner/Occupier shall also ensure to organise Mock Drill Biannually and maintain the records of the same
4. Officer of Punjab Fire and Emergency Service is authorised to inspect your building as per the procedure defined in the Punjab Fire and Emergency Service Act, 2024 and in case of any deficiency or irregularity is found in the Fire Fighting System & Life Safety Systems, the officer of Punjab Fire and Emergency Service may initiate the appropriate action as deemed fit under the provisions of the Punjab Fire and Emergency Service Act, 2024, which may lead to emposing penalty or cancellation of Fire Safety Certificate etc.
5. Owner/Occupier shall apply for the renewal of fire safety certificate at least one month prior to expiry of this certificate.
6. In view of any Special Risks is Involved or life safety of the occupants, the approving Authority of this Fire Safety Certificate can issue Special Conditions separately through an official letter in continuation of this certificate.

* Above Details cannot be used as ownership proof.

* This is digitaly created cerificate, no signature is needed.

[Handwritten Signature]
पं.एम. श्री केन्द्रीय विद्यालय
बी.एस.एफ. शिकार, डेरा बाबा नानक,
गुरदासपुर, पंजाब-143605

पराशष्ट /

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION
ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957
AS EXTENDED TO THE UNION TERRITORY OF
DELHI.

Appendix-1A

No. S.2884 of 1965 -1966 .

I hereby certify that. *CENTRAL SCHOOLS

ORGANIZATION*

has this day been registered under the Societies Registration
Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the
Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE

Fee Rs. 50.00 paid.

DHINGRA



(SURENDER KISHORE)
REGISTRAR OF SOCIETIES
DELHI.

No. S/2884/1670

Dated 15-12-1965

From
The Registrar of Societies,
Old Secretariat,
Delhi.

To
Shri S. N. Dutt, Under Secy.,
Central School Units,
Room No. 36, B-Block,
Ministry of Education, N. Delhi.

Reg: *CENTRAL SCHOOLS ORGANIZATION*

Dear Sir,

I am enclosing herewith the certificate of registration
of your society named above. Please acknowledge receipt.

Acknowledged.

12/12

Encl: One Certificate.

DHINGRA

(SURENDER KISHORE)
REGISTRAR OF SOCIETIES
DELHI.

Sangra
प्राप्त
जी.एम. श्री केन्द्रीय विद्यालय
बी.एस.एफ. शिकार, डेरा बाबा नानक,
मुहम्मदपुर, पंजाब-143605