

नोट शीटविषय: अभिभावक शिक्षक संघ(2024-25) बनाने बारे।

केन्द्रीय विद्यालय संगठन के दिशा निर्देशों अनुसार अभिभावक शिक्षक संघ(2024-25) बनाने की आवश्यकता विद्यालय के छात्रों की समग्र बेहतरी तथा अभिभावकों और शिक्षकों के बीच समझ व सहयोग को बढ़ावा देने हेतु की जाती है। इस प्रस्तावित संघ के मानद पदाधिकारियों का विवरण निम्नलिखित है:-

1.	अध्यक्ष/ Chairman	श्रीमती विभा रानी	प्राचार्या, के वि खानपुर
2.	उपाध्यक्ष /Vice Chairman	श्री जतिन्दर पाल सिंह	पिता कु० आयमंजोत कौर, कक्षा V
3.	सचिव /Secretary	श्रीमती प्रियंका शर्मा	माता मास्टर चैतन्य शर्मा, कक्षा IX
4.	सह सचिव /Joint Secretary	श्रीमती शारदा चौहान, टी जी टी	अध्यापिका, के वि खानपुर
5.	सदस्य /Member-I	श्री गुरिन्दरजीत सिंह	पिता शहबाज खान, कक्षा III
6.	सदस्य /Member-II	श्री रजिन्दर सिंह	पिता कु० सहजप्रीत कौर, कक्षा VII
7.	सदस्य/Member-III	श्री राम लाल, प्राथमिक अध्यापक	अध्यापक, के वि खानपुर

अभिभावक शिक्षक संघ की किसी भी बैठक में पदाधिकारियों को किसी भी प्रकार का पारिश्रमिक देय का कोई भी प्रावधान नहीं है।
आपकी उचित अनुमति हेतु प्रस्तुत है।

(विभा रानी)
प्राचार्या
केन्द्रीय विद्यालय
खानपुर

अध्यक्ष
विद्यालय प्रबंधन समिति
केन्द्रीय विद्यालय, खानपुर
Chairman
विद्यालय प्रबंधन समिति
Vidyalaya Management Committee



केन्द्रीय विद्यालय संगठन

KENDRIYA VIDYALAYA SANGATHAN

(शिक्षा मंत्रालय, भारत सरकार के अधीन स्वायत्त निकाय)
(An Autonomous Body under Ministry of Education, Govt. Of India)

क्षेत्रीय कार्यालय, चंडीगढ़/Regional office, Chandigarh

एससीओ/SCO NO. 72-73, सेक्टर 31-ए/SECTOR 31-A, चंडीगढ़/ Chandigarh

Web: <https://rochandigarh.kvs.gov.in>, E-Mail: kvsadmnchd@gmail.com

दूरभाष/Contact No. : 0172-2638031 (Admn. Section)

पत्रांक 16044/के वि सं(चं सं./प्रशा/2023/17233

दिनांक 22.11.2023

कार्यालय-आदेश

केन्द्रीय विद्यालय संगठन की शिक्षा संहिता के अनुच्छेद 29 के संदर्भ में अधोहस्ताक्षरी द्वारा केन्द्रीय विद्यालय खानपुर की विद्यालय प्रबंध समिति के पुनर्गठन की अनुमति दिनांक 10.08.2023 से 09.08.2025 तक तीन वर्षों की अवधि के लिए प्रदान की जाती है, जिसमें निम्नलिखित पदाधिकारी होंगे:-

S.No.	Particulars	Proposed VMC
1.	Chairman	Ms. Preeti Yadav, (IAS) Deputy Commissioner, Ropar (Roopnagar)
2.	Nominee of Chairman	Sh. Arvinder Pal Singh Somal, AC(G), Ropar (Roopnagar)
3 & 4	Two eminent Educationists	Dr. Sant Surinder Pal Singh, Principal (Retd) Govt. College, Ropar Dr. Harjas Kaur, (Associate Prof) Govt. College, Ropar
5.	An eminent person of the area known for outstanding work in field of culture	Sh. Inderjit Singh Bala, Lecturer (Retd) in the field of Drg & Painting Govt. Sr. Sec.School, Ghanouli
6 & 7	Two Parents of children studying in KV to be nominated by Chairman	Ms. Priyanka Sharma, M/o Master Chaitanya, Class-IX Sh. Jatinder Pal Singh, F/o Km. Aymanjot Kaur, Class -V
8.	An eminent Medical Doctor of the area	Dr. Dinesh Verma, Medical Officer, Civil Hospital, Ropar
9.	A representative of SC/ST belongs to Class-I service	Dr. Tersem Singh Sr. Medical Officer, Civil Hospital, Ropar
10.	A teacher representative	Ms. Gurpreet Kaur, TGT-Hindi, KV Khanpur
11.	Principal of the KV as Member Secretary	Smt. Vibha Rani, Principal, KV Khanpur
12.	Co-opted Member	Dr. Pratibha Saini (Retd.Asstt. Professor) Govt. College, Ropar
13.	Chairman CGEWCC	Commissioner, ITO, Patiala.
14	Technical Member from construction background	Sh. Davinder Kumar, Xen/EE, Construction Division PWD(B&R), Ropar

वितरण:-

1. प्राचार्य, केन्द्रीय विद्यालय खानपुर को उनके दिनांक 17.11.2023 के पत्र के संदर्भ में प्रेषित।
2. अध्यक्ष, केन्द्रीय प्रबंध समिति, केन्द्रीय विद्यालय खानपुर।
3. गार्ड फाइल।

विशेष:- 1 केन्द्रीय विद्यालय में सर्वाधिक लम्बे समय से सेवारत शिक्षक को एक वर्ष के लिए बारी-बारी से विद्यालय प्रबंध समिति में नामित किया जाए।

2 क्र.सं. 06 तथा 07 में अध्यक्ष द्वारा नामित अभिभावक प्रतिनिधि प्रत्येक शैक्षिक सत्र में रोटेशन आधार पर नामित किए जाए।

3. प्राचार्य द्वारा विद्यालय प्रबंध समिति के तीन वर्ष के कार्यकाल की समाप्ति की तिथि को नोट कर रखा जाए तथा इसकी समाप्ति के डेढ़ महीने पूर्व इसके पुनर्गठन का प्रस्ताव के.वि.सं. की शिक्षा संहिता के अनुच्छेद 29 में दिए गए निर्देशानुसार बनाकर

उपायुक्त

DISTRICT WATER TESTING LABORATORY, ROOPNAGAR
 Department of Water Supply and Sanitation, Division-2, Roopnagar
 dwtlrpr@gmail.com

Test Report

Letter No. k.v./khanpur/2023

Name & Address of Customer:

Vibha Rani

Kendriya Vidyalaya Khanpur, Ropar

Ph-9464391836

Customer Reference No

Sample Submitted by

Date of Sample Receipt

Analysis Starting Date

Analysis Completion Date

Mrs. Vibha Rani

08/11/2023

08/11/2023

09/11/2023

Discipline : Chemical & testing

Group:

Water

VLR No.

NA

Sample Type

Water

Test Report No:

DWTLRPR-REG2324-00518

Date Of Issue:

24/11/2023

Registration no:

DWTLRPR-REG2324-00518

Condition Of Sample

Unsealed

Collection Point

Tap Water

Quantity/Type of Bottle:

1000ml Plastic Bottles

Scheme/Source

NA

Location/Depth

Kendriya Vidyalaya Khanpur, NA

Village

NA

Habitation:

NA

Block

NA

Depth:

NA

Latitude

NA

Longitude

NA

Kindly find here with the Analytical Results

S.No.	Parameter	Result	As per IS -10500:2012(2 nd Rev.)		Unit	Reference Method
			Acceptable Limit	Permissible Limit		
1	pH at 25°C	7.30	6.5-8.5	No Relaxation	-	IS 3025(Part 11-2022) Electrometric Method
2	Turbidity	0.75	1	5	NTU	IS 3025 (Part 10-2023) Nephelometric Method
3	Total Dissolved Solids	330	500	2000	mg/l	IS 3025 (Part 16-2023) Gravimetric method
4	Total Hardness(asCaCO ₃)	212	200	600	mg/l	IS 3025 (Part 21- 2019) EDTA Method
5	Total Alkalinity(asCaCO ₃)	300	200	600	mg/l	IS 3025 (Part 23-2023) Indicator Method
6	Chloride (as Cl)	27	250	1000	mg/l	IS 3025 (Part 32-2019) Argentometric Method
7	Calcium	64.12	75	200	mg/l	IS 3025 (Part 40-2019) EDTA Titrimetric Method
8	Magnesium	12.63	30	100	mg/l	APHA 24 th Edition Method 3500-Mg B- by calculation method
9	Colour	<5	5	15	CU	IS 3025 (Part 04- 2021)
10	Odour	Agreeable	Agreeable	Non-Agreeable	-	IS 3025 (Part 05- 2018)
11	Taste	Agreeable	Agreeable	Non-Agreeable	-	IS 3025 (Part 08- 2023)

This Report is issued under the following terms & Condition:

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part, and can't be used as evidence in court of law.

Mamik Kataria

Mr. Mamik Kataria
 Sr. Chemist
 Authorized Signatory
 For, District Water Testing Laboratory
 Roopnagar

End of the Test Report

DISTRICT WATER TESTING LAB, ROOPNAGAR
Department of Water Supply and Sanitation, Division-2 Roopnagar
dwtlrpr@gmail.com

To,

Mrs. Vibha Rani
Kendriya Vidyalaya Khanpur, Roopnagar

No.: DWTLRPR/2324/00518 Dated: 24/11/2023

Subject: Testing Reports of Water Samples.

Reference: Your Letter/SRF No. Letter No. k.v./khanpur/23-24 Dated: 08/11/2023

As per above cited subject and reference, Please find enclosed here with the report of 1 Water sample/s received on dated 08/11/2023. It is request to fill the attached feedback form and send it back to District Testing Lab, Roopnagar.

D/A: Test Report

Manish Kataria
Authorized Signatory
For, District Water Testing Lab, Roopnagar

श्रीमती अंजू
आर कतरी
18/12/23

प्रति अ.
अंजू
18/12/23.



KYC	Payment	Part A	CAC/SeF-Conn	Upload Docs	Basic Detail	Upload Photo	Faculty	Student
Academic	Infrastructure	Vital Info	CSMC	Website	Quality Parameters	Fee payment	Part C	

Dashboard Panel (/SARAS/Status/StatusView)

KYC
Payment
Part A
Part B
Academic Quality Parameters
Final Submit
Payment
Part C
Progress Panel
Account

Letter Details

NO : CBSE/1600150/SL-00725-2223/2022-23 Dated: 16/06/2021

The Manager,
KENDRIYA VIDYALAYA KHANPUR
BLOCK NO.3, POWER COLONY, GURU GOBIND SINGH SUPER THERMAL PLANT, RUPNAGAR
PUNJAB ,RUPNAGAR, 149001
(M: 01881 222455)

SUBJECT :- FRESH AFFILIATION UP TO SECONDARY LEVEL-regarding.
Ref : Application No. :- SL-00725-2223 Dated:22/06/2021
Sir/Madam,

This is with reference to school application on the subject cited above. I am directed to convey approval of the Board for Fresh Affiliation Up to Secondary Level as per details given below :

Affiliation No used as User ID for both OASIS and LDC/Registration System	1600150
School No	22552
Affiliated for	Secondary School Examination Class 1 to 10
Category	Fresh Affiliation
Period of affiliation	01.04.2021 to 31.03.2026
Year and Month From which admission can be taken in Class-IX	1 April 2021
Year and Month in which first batch of Class-X will appear in board examinations	1 April 2023

The above is subject to fulfillment of the following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye-Laws-2015.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply an online for extension of affiliation along with the requisite fee and other documents as per Rule 13.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy thereof for reference purpose and is also advised to regularly visit CBSE website i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
7. Concerned Regional Office is requested to create new email id of school as per direction issued by controller of examination. This E Mail ID is used for communication with CBSE only.
"The school shall possess valid fire safety certificate and Building safety certificates during functioning of the school which shall be renewed from time to time as per norms".

I	II	III	IV	V	VI
---	----	-----	----	---	----